

SKINTOP® Strain Relief Cord Connectors

SKINTOP® TECHNICAL DATA		529
SKINTOP® SLN/SLRN	UL/CSA/CE	534
Liquid Tight, Non-Metallic Strain Relief Cord Connectors with NPT Threads		
SKINTOP® SL/SLR	UL/CSA/CE/TUV	535
Liquid Tight, Non-Metallic Strain Relief Cord Connectors with PG Threads		
SKINTOP® SLM/SLRM	UL/CSA/CE/TUV	536
Liquid Tight, Non-Metallic Strain Relief Cord Connectors with Metric Threads		
SKINTOP® FLEX	UL/CSA/CE	537
Liquid Tight, Non-Metallic Connector with Spiral Strain Relief with NPT, PG, & Metric Threads		
SKINTOP® ATEX		539
KR-1M, K-M, KR-M Cable Glands build according to ATEX for Hazardous Areas		
SRW Right Angle Gland		541
90° Elbow Cable Connector		
KW Series Cable Clamp	CE	542
Non-Metallic 90° Elbow Cable Clamp in PG sizes		
SKINTOP® GMP-GL		543
Hexagonal Locknuts for NPT, PG, & Metric Connectors		
SKINTOP® MS-NPT/ MSR-NPT	UL/CE	544
Liquid Tight Metallic Strain Relief Connector with NPT Threads		
SKINTOP® MS/ MSR	CE	545
Liquid Tight Metallic Strain Relief Connector with PG Threads		
SKINTOP® MS-XL/ MSR-XL	CE	546
Liquid Tight Metallic Strain Relief Connector with Long Threads in PG Sizes		
SKINTOP® MS-M/ MSR-M	UL/CE	547
Liquid Tight Metallic Strain Relief Connector with Metric Threads		
SKINTOP® MS-M-XL/ MSR-M-XL	UL/CE	548
Liquid Tight Metallic Strain Relief Connector with Long Threads in Metric Sizes		

SKINTOP® Strain Relief Cord Connectors

SKINTOP® MS-SC/ MS-SCL	CE	549
Cable Grounding Liquid Tight Connector with NPT, PG, & Metric Threads for Shielded Cables		
SKINTOP® MS-M/ MSR-M ATEX	UL	551
Metallic Cable Glands built according to ATEX for Hazardous Areas in Metric Sizes		
SKINDICHT® SH Cable Clamp	CE	552
Compact Strain Relief Connector with Single Saddle Clamp in PG Sizes		
SKINDICHT® SHZ Cable Clamp	CE	553
Compact Strain Relief Connector with Single Saddle Clamp and Additional Sealing in PG & Metric Sizes		
SKINDICHT® SK	CE	554
Compact Strain Relief Connector with Double Saddle Clamp in PG Sizes		
SKINDICHT® SKZ	CE	555
Compact Strain Relief Connector with Double Saddle Clamp and Additional Sealing in PG & Metric Sizes		
SKINDICHT® SHV	CE	556
Metallic Strain Relief Connector in PG Threads with Sealing Capability to 300 Ft. (10 Bar)		
SKINDICHT® SHV-M	CE	557
Metallic Strain Relief Connector in Metric Threads with Sealing Capability to 300 Ft. (10 Bar)		
SKINDICHT® SHVE	CE	558
Compact Strain Relief Connector in PG & Metric Threads with EMC/EMI Protection		
SKINDICHT® SR Series Cable Clamp	CE	560
Compact Strain Relief Connector with Single Saddle Clamp and Special Neoprene Bushing in PG & Metric Threads		
SKINDICHT® SVRE Series Cable Clamp	CE	562
Compact General Purpose Cable Clamps in PG & Metric Threads		
SKINDICHT® RWV Cable Connector	CE	563
Metallic 90° Elbow Cable Connector in PG Sizes		
SKINDICHT® SM Lock Nuts		564
Metal Lock Nuts for NPT, PG, or Metric Threaded Products		
SKINDICHT® SM-PE Lock Nuts		565
Brass Grounding Lock Nuts for PG or Metric Threaded Products		

SKINTOP® Strain Relief Cord Connectors

SKINDICHT® DIX Bushings Multiple Cable Sealing Bushing for PG & NPT SKINTOP® Connectors	566
SKINDICHT® DIX-M Bushings Multiple Cable Sealing Bushing for Metric SKINTOP® Connectors	567
SKINDICHT® DIX-DV Inserts Inserts for SKINTOP® DIX NPT, PG, & Metric	568
SKINDICHT® EPDM Halogen-Free Chemical Resistant Cable Sealing Bushings	569
SKINDICHT® DIX-ASI Cable Bushings for ASI BUS Cables in PG & Metric Threads	570
SKINDICHT® SD Dust-Proof, Moisture-Proof Plugs for PG, NPT & Metric SKINTOP® Connectors	571
SKINDICHT® DV Dust-Proof, Moisture-Proof Plugs for PG, NPT & Metric SKINTOP® Connectors	572
HOLE PLUGS Brass & Plastic for use in PG and Metric Threaded Holes	573
FITTINGS Reducers, Enlargers, & Adapters in PG, NPT, & Metric Combinations	574
O-RINGS-PG Perbunan, OLFLON®, & VITON® in PG Sizes	576
O-RINGS-Metric Perbunan, OLFLON®, & VITON® in Metric Sizes	577
SKINDICHT® Cable Bushing System	578
SKINTOP® Mounting Tools	580
CUTTING/ STRIPPING TOOLS	581