


















High performance steel anchors

R264 - article/Anchor type	Dimensions	14/40	14/60
88589 FZA-ST 	d_0	14	14
	h_{ef}	40	60
	t_{fix}	30	30
	thread	M 10	M 10
	wrench size	16	16
	washer	20 x 2	20 x 2
	building materials	BN, VD	

R264 - article/Anchor type	Dimensions	10 x 40 M 8	12 x 40 M 10	14 x 40 M 12
88597 FZEA II  <p>* internal thread</p>      	d_0	10	12	14
	h_{ef}	40	40	40
	d_s^*	8	10	12
	e_2	11	13	15
	e_1	17	19	21
	building materials	BN, VD		

R264 - article/Anchor type	Dimensions	10/10	10/25	10/50	12/10	12/25	12/50
88592 FH II-B        <p>I = total anchor length VdS approval M8 – M20</p>	d_0	10	10	10	12	12	12
	t_d	65	80	105	90	105	130
	h_{ef}	40	40	40	60	60	60
	l	70	85	110	90	105	130
	t_{fix}	10	25	50	10	25	50
	thread	M 6	M 6	M 6	M 8	M 8	M 8
	wrench size	10	10	10	13	13	13
	washer	18 x 2	18 x 2	18 x 2	22 x 2.5	22 x 2.5	22 x 2.5
	building materials	BN, VD					
	Dimensions	12/100	15/10	15/25	15/50	15/100	18/25
	d_0	12	15	15	15	15	18
	t_d	190	100	115	140	190	130
	h_{ef}	60	70	70	70	70	80
	l	184	110	125	150	200	135
	t_{fix}	100	10	25	50	100	25
thread	M 8	M 10	M 10	M 10	M 10	M 12	
wrench size	13	17	17	17	17	19	
washer	22 x 2.5	25 x 3	25 x 3	25 x 3	25 x 3	30 x 3	
building materials	BN, VD						
Dimensions	18/50	18/100	24/25	24/50	24/100		
d_0	18	18	24	24	24		
t_d	155	205	150	175	225		
h_{ef}	80	80	100	100	100		
l	160	214	167	192	242		
t_{fix}	50	100	25	50	100		
thread	M 12	M 12	M 16	M 16	M 16		
wrench size	19	19	24	24	24		
washer	30 x 3	30 x 3	40 x 5	40 x 5	40 x 5		
building materials	BN, VD						

Key → TI-116, building materials → TI-109

TI-120