




Dimensions for rivets






Rivets

DIN	Dimensions	2	2.5	3	4	5	6	7	8	10 *	
660		d_2	3.5	4.4	5.2	7	8.8	10.5	12.2	14	16
		$d_{3 \min}$	1.87	2.37	2.87	3.87	4.82	5.82	6.82	7.76	9.4
661		e_{\max}	1	1.25	1.5	2	2.5	3	3.5	4	5
		k_{660}	1.2	1.5	1.8	2.4	3	3.6	4.2	4.8	6.5
		k_{661}	1	1.2	1.4	2	2.5	3	3.5	4	-

* dimensions acc. to DIN 124

DIN	Dimensions	2	2.5	3	3.5	4	5	6	
662		d_2	4	5	6	7	8	10	12
		$d_{3 \min}$	1.87	2.37	2.87	3.37	3.87	4.82	5.82
		e_{\max}	1	1.25	1.5	1.75	2	2.5	3
		k	1	1.2	1.5	1.8	2.1	2.5	3
		f	0.7	0.8	1	1.2	1.4	1.7	2

DIN	Dimensions	3	4	5	6	
674		d_2	6.8	9	11.2	13.5
		$d_{3 \min}$	2.87	3.87	4.82	5.82
		e_{\max}	1.5	2	2.5	3
		k	1.5	2	2.5	3

DIN	Dimensions	3	4	5	6	8	
7338 B		d_2	5.5	7.5	9.5	11.5	15.5
		$d_{3 \min}$	2.85	3.8	4.8	5.8	7.75
		d_4	1.7	2.7	3.5	4.2	6
		e_{\max}	1.5	2	2.5	3	4
7338 C		k	0.8	1	1	1.2	1.2
		r_{\max}	0.2	0.3	0.3	0.4	0.4
		s	0.5	0.5	0.6	0.75	1.2

Blind rivets → TI-142