


POLYAMID 66

Hex nuts

DIN 555




ISO 4034

d	s	m	plain	
quantity			100	1000
M				
3	5,5	2,4	12.30	7.90
4	7	3,2	13.20	8.60
5	8	4	14.80	9.90
6	10	5	15.70	10.50
8	13	6,5	21.75	15.20
10	17 ISO 16	8	34.50	26.-
12	19 ISO 18	10	54.50	38.25
16	24	13	71.-	61.50

POLYAMID 66

Hex domed nuts

DIN 1587
(acorn nuts)




d	s	h	plain	
		max.		
quantity			100	1000
M				
3	5,5	6	20.75	16.10
4	7	8	24.25	19.50
5	8	10	27.25	21.-
6	10	12	29.50	23.50
8	13	15	43.50	32.25
10	17 ISO 16	18	67.50	55.-
12	19 ISO 18	22	87.-	66.50
16	24	28	148.-	118.-

POLYAMID 66

Wing nuts

DIN 315




d	a	e	h	plain	
	max.	max.	max.		
quantity				100	1000
M					
4	8	20	10,5	41.50	33.-
5	11	26	13	44.-	34.-
6	13	33	17	48.-	38.60
8	16	39	20	64.50	50.-
10	20	51	25	120.-	98.60

ALUMINIUM

Hex nuts

DIN 934



ISO 4032

d	s	m	plain	
			100	1000
quantity				
M				
3	5,5	2,4	12.30	7.30
4	7	3,2	12.50	7.50
5	8	4	12.50	7.50
6	10	5	13.70	8.10
(7)	11	5,5	25.50	18.60
8	13	6,5	21.-	14.10
10	17 ISO 16	8	55.-	37.-
12	19 ISO 18	10	76.-	51.50