

BLOW GUN

COMPRESSED AIR






27202



27202 ERGONOMIC BLOW GUNS



High performance blow guns for compressed air applications




APPLICATIONS

- Blowing
- Expelling
- Cleaning
- Dusting
- Drying
- Air or Water Use





- 1 INOVATIVE NON SCRATCH** The composite material of the body and nozzle ensures that you can use the blow gun without damaging fragile surfaces.
- 2 STURDY** Composite high-tech material. Inlet fitting with brass insert.
- 3 ERGONOMIC** The thermal insulated, non-slip body of the blow gun fits confortably in your hand for effortless use.
- 4 EASY TO HANG UP** Two safe, practical storage options.
- 5 PROTECTED MECHANISM** The shape of the blow gun, with no sharp corners, keeps dust and chips from being deposited on the body and trigger. Due to its design the 27202 is protected against outside elements.
- 6 LIGHT WEIGHT** The 27202 weighs only 4.8 ozs. The light weight and long operating lever allow for effortless use.
- 7 PROGRESSIVE FLOW** The progressive trigger action enables precise adjustments of the air flow rate.
- 8 DIRECTIONAL BLOWING** Nozzle angle and natural orientation of the air flow ensures precise work.



Pneumatic flow rate at 87 PSI for 27202 PRE

Technical characteristics
 Max. pressure: 145 PSI
 Operating temperature: 5° F to 150° F
 Thread: 1/4" FNPT
 Weight: 4.8 ozs
 Fluid: air





SAFETY BLOW GUNS

PROGRESSIVE FLOW	MATERIAL Composite high-tech	HEAVY DUTY	LIGHT WEIGHT	NON-SCRATCH Nozzle blow guns	PRESSURE 145 PSI	TEMPERATURE 5° F to 158° F	BRASS INSERT 1/4" FNPT	FLUID Air	PACKAGE QTY 5

		A	B	C	D	SPECIFICATIONS	PART #
		mm	mm	mm	mm		
OSHA venturi nozzle							
		170				Thread 1/4" FNPT Consumption @ 87 PSI 7.7 SCFM Sound pressure level 90 dB Blower force @ 87 PSI 9.5 Oz Dynamic pressure @ 87 PSI @ .4" 17.40 PSI	27202 OSH
OSHA silent nozzle							
		157				Thread 1/4" FNPT Consumption @ 87 PSI 6.8 SCFM Sound pressure level 77 dB Blower force @ 87 PSI 7.5 Oz Dynamic pressure @ 87 PSI @ .4" 0 PSI	27202 SIL
Protective screen nozzle							
		165				Thread 1/4" FNPT Consumption @ 87 PSI 13.8 SCFM Sound pressure level 82 dB Blower force @ 87 PSI 8 Oz Dynamic pressure @ 87 PSI @ .4" 36.25 PSI	27202 ECR
Non-scratch nozzle							
		160				Thread 1/4" FNPT Consumption @ 87 PSI 7.7 SCFM Sound pressure level 84 dB Blower force @ 87 PSI 11 Oz Dynamic pressure @ 87 PSI @ .4" 29 PSI	27202 PRE
Metal tip blow gun							
		200				Thread 1/4" FNPT Consumption @ 87 PSI 13.5 SCFM Sound pressure level 83 dB Blower force @ 87 PSI 13 Oz Dynamic pressure @ 87 PSI @ .4" 18 PSI	27202 MTL
		215				Metal tip blow gun with non-scratch nozzle	27202 MTL RT
		430				Bent - 13"	27202 MB13
		605				Bent - 20"	27202 MB20
		430				Straight - 13"	27202 MS13
		605				Straight - 20"	27202 MS20



BLOW GUNS 27202 OSH BLISTER PACKS

OSHA

PRESENTATION Blister pack	ATTRACTIVE	COST-EFFECTIVE	READY TO USE	AIRTIGHT Sealed	WITH BLOW GUN 27202 OSH	DIAMETER 1/4"	PRESSURE 117 PSI	PACKAGE QTY 1
------------------------------	------------	----------------	--------------	--------------------	----------------------------	------------------	---------------------	------------------

	WITH ADAPTOR	WITH COUPLING	WITH JOINER	WITH PUR SPIRAL HOSE	COUPLING PROFILE	PART #
Blow gun blister packs with standard quick coupler						
	URP 066251	URC 061201	PON 38251			KB 22U
	IRP 066251	IRC 061201	PON 38251			KB 22I
	ERP 066251	ERC 061201	PON 38251			KB 22E
	ARP 066251	ARC 061201	PON 38251			KB 22A
Blow gun blister packs with standard quick coupler and spiral hose						
	URP 066201 URP 066251	URC 061201		PUS 52		KBSH 32U
	IRP 066201 IRP 066251	IRC 061201		PUS 52		KBSH 32I
	ERP 076201 ERP 076251	ERC 071201		PUS 52		KBSH 32E
	ARP 066201 ARP 066251	ARC 061201		PUS 52		KBSH 32A



BLOW GUNS KIT (spiral hose and blow gun)

PRESENTATION Blister pack	ATTRACTIVE	COST-EFFECTIVE	READY TO USE	AIRTIGHT Sealed	WITH BLOW GUN 27202 OSH	DIAMETER 1/4"	PRESSURE 117 PSI	PACKAGE QTY 1
------------------------------	------------	----------------	--------------	--------------------	----------------------------	------------------	---------------------	------------------

	INT. DIAM.	THREAD	LENGTH	WITH SPIRAL HOSE	PART #
Spiral hose blow gun kit					
	1/4"	1/4" MNPT	6.5"	PUS 52	KBSH 322
	1/4"	1/4" MNPT	13"	PUS 54	KBSH 324

METAL BLOW GUN

COMPRESSED AIR

blow guns



METAL BLOW GUNS




A range suited to your needs

ST series Light weight pocket blow guns with adjustable flow

VENT' AIR Pistol grip blow gun with versatile selection of nozzles.



POCKET BLOW GUN



FLOW RATE
8.8 CFM



PRESSURE RATING
146 PSI



LIGHT WEIGHT
0.802 oz



MATERIAL
Aluminum



CORROSION RESISTANT



AVAILABLE IN ALL POPULAR PROFILES



PACKAGE QTY
10

		A	B	C	D	DESCRIPTION	PART #
		mm	mm	mm	mm	Pocket blow gun	
		115				Industrial interchange	STI
		115				Trufflate profile	STU
		115				ARO 210	STA
		115				European high flow profile	STE



VENT'AIR BLOW GUN

 MATERIAL Aluminium body Metal trigger		 MATERIAL Brass valve Stainless steel spring		 ERGONOMIC		 IMPACT RESISTANT		 LIGHT WEIGHT		 FLOW RATE @ 90 PSI: 11 SCFM		 THREAD 1/4" FNPT inlet		 TEMPERATURE 14° F to 176° F		 PACKAGE QTY 1	
		A	B	C	D	DESCRIPTION						PART #					
		mm	mm	mm	mm	Blow gun with short nozzle											
		136				<ul style="list-style-type: none"> Metal blow gun Short replacement nozzle (14 x 100 mm thread)						27204 27204 BUSE1					
		Blow gun with medium nozzle (150 mm)															
		266				<ul style="list-style-type: none"> Metal blow gun Medium replacement nozzle (14 x 100 mm thread)						27205 27205 BUSE1					
		Blow gun with long nozzle (300 mm)															
		416				<ul style="list-style-type: none"> Metal blow gun Long replacement nozzle (14 x 100 mm thread)						27206 27206 BUSE1					
		Versatile nozzle for Vent'air blow gun: 27205 & 27206															
		54	14			Venturi nozzle (OSHA)						AVB 101					
		39	13			Safety nozzle (OSHA)						AVB 102					
		31	25			Safety nozzle with air shield						AVB 103					
		31				Non-scratch nozzle						AVB 104					
		40				Silent nozzle (OSHA)						AVB 105					
		54	14	3100		3 mm vacuum nozzle with filter						AVB 106					