



***ELECTRICIDAD / ELECTRICIAN TOOLS / OUTILLAGE D'ELECTRICIEN / WERKZEUGE  
FÜR ELEKTRIKER / UTENSILI PER ELETTRICISTI / ELECTRICIDADE / ИНСТРУМЕНТ  
ДЛЯ ЭЛЕКТРИКОВ***

## ELECTRICIDAD / ELECTRICIAN TOOLS / OUTILLAGE D'ELECTRICIEN / WERKZEUGE FÜR ELEKTRIKER / UTENSILI PER ELETTRICISTI / ELECTRICIDADE / ИНСТРУМЕНТ ДЛЯ ЭЛЕКТРИКОВ


PARA TERMINALES AISLADOS / FOR INSULATED TERMINALS / POUR TERMINAUX ISOLES / FÜR ISOLIERTE KABELSCHUHE / PER TERMINALI ISOLATI / PARA TERMINAIS ISOLADOS / ДЛЯ ИЗОЛИРОВАННЫХ КОНТАКТОВ

COD	L mm	CAP. mm <sup>2</sup>	gr		
62493	200	0,75-6	175	6	1



PARA UNIÓN DE CABLES AISLADOS Y NO AISLADOS / FOR CABLE LINKS INSULATED & NO INSULATED / POUR UNION DE CABLES ISOLES ET NON ISOLES / FÜR ISOLIERTE UND NICHT ISOLIERTE KABELSCHUHE / PER UNIRE CAVI ISOLATI E NON ISOLATI / PARA UNIÃO DE CABOS ISOLADOS E NÃO ISOLADOS / ДЛЯ ИЗОЛИРОВАННЫХ И НЕИЗОЛИРОВАННЫХ КОНТАКТОВ

COD	L mm	CAP. mm <sup>2</sup>	gr		
62494	220	0,75-6	190	6	1



PARA TERMINALES AISLADOS / FOR INSULATED TERMINALS / POUR TERMINAUX ISOLES / FÜR ISOLIERTE KABELSCHUHE / PER TERMINALI ISOLATI / PARA TERMINAIS ISOLADOS / ДЛЯ ИЗОЛИРОВАННЫХ КОНТАКТОВ

COD	L	DIN mm <sup>2</sup>	AWG	gr		
62591	9"	0,5-6	22-10	550	6	1



PARA UNIÓN DE CABLES AISLADOS Y NO AISLADOS / FOR CABLE LINKS INSULATED & NO INSULATED / POUR UNION DE CABLES ISOLES ET NON ISOLES / FÜR ISOLIERTE UND NICHT ISOLIERTE KABELSCHUHE / PER UNIRE CAVI ISOLATI E NON ISOLATI / PARA UNIÃO DE CABOS ISOLADOS E NÃO ISOLADOS / ДЛЯ ИЗОЛИРОВАННЫХ И НЕИЗОЛИРОВАННЫХ КОНТАКТОВ

COD	L	DIN mm <sup>2</sup>	AWG	gr		
62594	7.1/2"	0,14-2,5	26-14	360	6	1



PARA TERMINALES NO AISLADOS / FOR NOT INSULATED TERMINALS / POUR TERMINAUX NON ISOLES / FÜR NICHT ISOLIERTE KABELSCHUHE / PER TERMINALI NON ISOLATI / PARA TERMINAIS NÃO ISOLADOS / ДЛЯ НЕИЗОЛИРОВАННЫХ КОНТАКТОВ

COD	L	DIN mm <sup>2</sup>	AWG	gr		
62593	7.1/2"	0,5-2,5	20-14	350	6	1



PARA TERMINALES AISLADOS DE COLORES / FOR COLOR INSULATED TERMINALS / POUR TERMINAUX ISOLES DE COULEUR / FÜR FARBISOLIERTE KABELSCHUHE / PER TERMINALI ISOLATI COLORATI / PARA TERMINAIS ISOLADOS DE CORES / ДЛЯ ЦВЕТНЫХ ИЗОЛИРОВАННЫХ КОНТАКТОВ

COD	L	DIN mm <sup>2</sup>	AWG	gr		
62592	7.1/2"	0,25-0,5 0,75-1,5 2-2,5	24-20 18-16 14	350	6	1



# 3

## ELECTRICIDAD / ELECTRICIAN TOOLS / OUTILLAGE D'ELECTRICIEN / WERKZEUGE FÜR ELEKTRIKER / UTENSILI PER ELETTRICISTI / ELECTRICIDADE / ИНСТРУМЕНТ ДЛЯ ЭЛЕКТРИКОВ



PARA CONECTORES COAX-BNC-TNC / FOR COAX-BNC-TNC CONNECTORS / POUR CONNECTEURS COAX-BNC-TNC / FÜR COAX-BNC-TNC VERBINDER / PER CONNETTORI COAX-BNC-TNC / PARA CONECTORES COAXIAIS BNC-TNC / ДЛЯ КОНТАКТОВ COAX-BNC-TNC

COD	L	CAP	gr.	Box	Store
62597	9"	58,59,62,8X, 140,141,174, 210,223,303,400 FIBER OPTIC BELDEN 8279	550	6	1



PARA TERMINALES DE TELÉFONO / FOR PHONE TERMINALS / POUR TERMINAUX TELEPHONIQUES / FÜR TELEFONKABEL / PER TERMINALE TELEFONISTI / PARA TERMINAIS DE TELEFONE / ДЛЯ ТЕЛЕФОННЫХ КОНТАКТОВ

COD	L	CAP	gr.	Box	Store
62595	8"	4P2C, 4P4C, 6P4C (RJ-11) 6P6C (RJ-12) 8P8C, 10P6C, 10P8C (RJ-45)	500	6	1



COD	L	CAP	gr.	Box	Store
62596	7.1/2"	6P4C, 6P6C (RJ-11) 8P8C (RJ-45)	260	6	1



PELACABLES AUTOMÁTICO / AUTOMATIC WIRE STRIPPER / PINCE À DÉNUDER AUTOMATIQUE / AUTOMATISCHE ABISOLIERZANGE / PUNZA SPELAFILI AUTOMATICA / ALICATE DECAPADOR AUTOMÁTICO / АВТОМАТИЧЕСКИЙ КАБЕЛЕРЕЗ

COD	mm	mm <sup>2</sup>	AWG	gr.	Box	Store
63865	0,5/1,2/1, 6/2,0mm	0,2/1,25/2,0/3,5 mm <sup>2</sup>	24-16- 14-12	360	6	63870
63866	1,0/1,6/2,0/2, 6/3,2mm	0,8/2,0/3,5/5,5 8,5mm <sup>2</sup>	18-14- 12-10-8			63871
63867	1,1/1,3/1, 6/2,0/ 2,6 mm	0,9/1,25/2,0/3, 5/5,5mm <sup>2</sup>	17-16- 14-12-10			63872

**NEW**



PELACABLES / CABLE STRIPPER / PINCES À DÉNUDER / ABISOLIERZANGE / SPELAFILI / DECAPADOR DE CABOS / СТРИПЕР

COD	mm	AWG	gr.	Box	Store
63863	0,2/0,8	20-30	120	1	1
63862	0,8/2,6	10-20			

**NEW**



Hasta 9,5 mm / Up to 9,5 mm / Jusqu'à 9,5 mm

# 3

## ELECTRICIDAD / ELECTRICIAN TOOLS / OUTILLAGE D'ELECTRICIEN / WERKZEUGE FÜR ELEKTRIKER / UTENSILI PER ELETTRICISTI / ELECTRICIDADE / ИНСТРУМЕНТ ДЛЯ ЭЛЕКТРИКОВ

PELACABLES / CABLE STRIPPER / PINCES À DÉNUDER / ABISOLIERZANGE / SPELAFILI / DECAPADOR DE CABOS / СТРИПЕР

COD	CAP 250Kg/mm <sup>2</sup>	L	gr.
62285	Ø20-45mm	245mm	550



PELAMANGUERAS / DISMANTLING TOOL / OUTIL À DÉGAINER / ABMANTELUNGSWERKZEUG / SPELACAVI / DECAPADOR LINEAR - HELICOIDAL / ИНСТРУМЕНТ ДЛЯ РАЗБОРКИ

COD	mm	L	gr.			
63875	4,5 - 25	135	130	8	1	63873



TIJERA ELECTRICISTA / ELECTRICIAN'S SCISSORS / CISEAUX D'ELECTRICIEN / ELEKTRIKERSCHERE / FORBICI PER ELETTRICISTI / TESOURA ELECTRICISTA / ЭЛЕКТРИЧЕСКИЕ НОЖИЦЫ

COD	L	gr.		
A- 69534	145	100	8	1
B- 69535		105		



CORTACABLES DE CARRACA / RATCHET ELECTRICIAN CABLE CUTTER / COUPE-CABLES A CLIQUETS / KABELSCHNEIDER MIT RATSCHEN / TAGLIACAVI A CRICCO / CORTA CABOS DE ROQUETE PARA ELECTRICISTA / КАБЕЛЕРЕЗ ТРЕЩЕТОЧНЫЙ

COD	L	gr.	
62538	255	32	600



TENAZAS CORTACABLES / CABLE CUTTERS / COUPE-CABLES / KABELSCHNEIDER / CESCOIE PER CAVI / TESOURAS CORTA CABOS / КАБЕЛЕРЕЗЫ

COD	mm	inch.	CAP 250Kg/mm <sup>2</sup>	gr.		
62151	250	10"	10	490	6	1

Para cobre y aluminio / For copper & aluminium / Pour cuivre et aluminium



COD	mm	inch.	CAP 250Kg/mm <sup>2</sup>	gr.	
62164	600	24"	14	460	1


Para cobre y aluminio / For copper & aluminium / Pou



CUCHILLAS BLADES LAMES	L
64055	600mm - 24"

LLAVES PARA ARMARIO / CABINET KEYS / CLÉS POUR ARMOIRE / SCHRANKSCHLÜSSEL / CHIAVI PER LAVABI / CHAVE PARA ARMÁRIO / КЛЮЧИ ДЛЯ ЯЩИКОВ

COD					L	gr.		
A- 65866	6/8	9	9	-	44	50		
A- 65867	5/6/8	9	9	-	76	80	8	1
B- 65868	5/7/8	9	-	6/7/8/9	90	75		




# 3

## ELECTRICIDAD / ELECTRICIAN TOOLS / OUTILLAGE D'ELECTRICIEN / WERKZEUGE FÜR ELEKTRIKER / UTENSILI PER ELETTRICISTI / ELECTRICIDADE / ИНСТРУМЕНТ ДЛЯ ЭЛЕКТРИКОВ



PINZAS / TWEEZERS / BRUCELLES / GREIFPINZETTEN / PINZETTE DI PRECISIONE / PINÇAS / ПИНЦЕТЫ  
 ACERO INOXIDABLE / STAINLESS STEEL / INOX / ACCIAIO INOX / AÇO INOXIDÁVEL / AÇO INOXIDÁVEL / НЕРЖАВЕЮЩАЯ СТАЛЬ

COD	L mm	gr.		
A - 69530	115	15	25	1
B - 69532	120			
C - 69533	110			
D - 69531	120			



SET-4 (69530-69531-69532-69533)

COD	gr.		
69529	70	12	1



NAVAJA / PENKNIFE / CANIF / TASCHENMESSER / COLTELLI / NAVALHA / СКЛАДНЫЕ НОЖИ

COD	L mm	L mm	gr.	
69527	70	100	75	24
69528	80	110	95	

COD	L mm	L mm	gr.	
69525	84	111	65	10

COD	L mm	L mm	gr.	
69526	73	120	70	12

COD	L mm	L mm	L mm	gr.	
69591	85	75	115	180	6



SET

COD	Composición / Composition	LxWxH	Kg.
76678	76607 Alicates universal 180mm / 180mm Combination plier MASTERCUT TITACROM BIMAT 1000V	320x190x280	0,75
	76621 Destornillador electricista / Electrician screwdriver MASTERTORK 3X100mm		
	76629 Destornillador Philips / Philips Screwdriver MASTERTORK PH-1 5x100mm		
	62493 Alicates para terminales aislados 200mm / Plier for insulated terminals 200mm		
	66074 Buscapolos digital 160mm / 160mm Digital voltage tester		
76679	76607 Alicates universal 180mm / 180mm Combination plier MASTERCUT TITACROM BIMAT 1000V	0,70	
	76621 Destornillador electricista / Electrician screwdriver MASTERTORK 3X100mm		
	76622 Destornillador electricista / Electrician screwdriver MASTERTORK 3X100mm		
	76629 Destornillador Philips / Philips screwdriver MASTERTORK PH-1 5x100mm		



1.000V  
 IEC 900 resp.  
 DIN EN 60 900

ALICATE AUTOMÁTICO PARA BRIDAS / AUTOMATIC PLIERS FOR PLASTIC CABLE-TIES / PINCE POUR COLLIERES PLASTIQUES AUTOMATIQUE / KABELBINDERZANGE / SPLEAFILI AUTOMATICA / ALICATE AUTOMÁTICO PARA ABRAÇADEIRAS PLÁSTICAS / АВТОМАТИЧЕСКИЕ КУСАЧКИ ДЛЯ СВЯЗКИ ПЛАСТИКОВЫХ КАБЕЛЕЙ

COD	CAP 250Kg/mm <sup>2</sup>	L	gr.	
62602	2,2-4,8mm	160	290	1






NEW

NATO Commercial and Government Entity (NCAGE) Code / Código (NCAGE) OTAN: 8552B




# ELECTRICIDAD / ELECTRICIAN TOOLS / OUTILLAGE D'ELECTRICIEN / WERKZEUGE FÜR ELEKTRIKER / UTENSILI PER ELETTRICISTI / ELECTRICIDADE / ИНСТРУМЕНТ ДЛЯ ЭЛЕКТРИКОВ

SOLDADOR CILÍNDRICO / SOLDERING IRON / SOUDEUR Á L'ÉTAİN / LÖTKOLBEN / SALDATORI A STAGNO /  
SOLDADOR ESTANHADOR / ПАЯЛЬНИК

COD	V	W	°C	L mm		gr. 	
63252	230	30	300	200	Euro	75	1
63253		40	350	230			
63254		60	380				
63270	110	40	350		American		



PISTOLA PARA SOLDAR / SOLDERING IRON GUN / PISTOLET Á SOUDER / LÖTPISTOLE / PISTOLA PER SALDARE  
/ PISTOLA DE SOLDAR / ПИСТОЛЕТ ПАЯЛЬНИК

COD	V	W	°C		gr. 	
63255	230	60	380	Euro	75	1

A: Con alimentador / With feeder / Avec alimentateur







COD	V	W	Hz	Incluye / Included	gr. 	
63268	230	100	50	1 punta / 1 tip INOX	700	Blister
63269				3 puntas / 3 tips INOX Rollo estañar / Soldering roil Pasta decapante / Flux	1000	Estuche Plastic case

Longitud de cable: 1,8m / Length of cable: 1,8m / Longueur du câble: 1,8m





DESOLDADOR CON BOQUILLA ANTIESTÁTICA / DESOLDERING PUMP WITH ANTI-STATIC RUBBER NOZZLE /  
POMPE À DESSOUDER / ABLÖTPUMPE MIT ANTI-STATIC GUMMI SPITZE / POMPETTA PER DISSALDARE /  
CHUPA SOLDAS COM BORRACHA ANTI-ESTÁTICA PARA SOLDADURA / НАСОС ДЛЯ РАСПАЙКИ И АНТИСТАТИЧЕСКИМ  
РЕЗИНОВЫМ НОСИКОМ

COD	L mm		gr. 	
63256	170	5	55	1






SOPORTE PARA SOLDADOR DE ESTAÑO / BASE FOR SOLDERING IRON  
/ SUPPORT POUR SOUDEUR A L'ÉTAİN / LÖTKOLBEN HALTER / SUPPORTO  
PER SALDATORE / SUPORTE PARA SOLDADOR DE ESTANHO /  
ПОДСТАВКА ДЛЯ ПАЯЛЬНИКА

COD	gr. 	
63257	250	1



ROLLO DE ESTAÑO PARA SOLDAR / SOLDERING ROLL / ROULEAU D'ÉTAİN Á SOUDER / LÖTDRAHT /  
ROCCETTO DI STAGNO PER SALDARE / ROLO DE ESTANHO PARA SOLDAR / ПРИПОЙ

COD	COMP		gr. 	
63260	Sn-0,3Ag-0,7Cu	1,2	500	2
63272	Sn-0,3Ag-0,7Cu		900	
63259	60Sn-40Pb		500	
63258	35Sn-65Pb		900	



**ELECTRICIDAD / ELECTRICIAN TOOLS / OUTILLAGE D'ELECTRICIEN / WERKZEUGE FÜR ELEKTRIKER / UTENSILI PER ELETTRICISTI / ELECTRICIDADE / ИНСТРУМЕНТ ДЛЯ ЭЛЕКТРИКОВ**



**CORTACABLES PARA TALADRO / WIRE CUTTER FOR DRILL / COUPE CÂBLE POUR PERCEUSE / DRAHTSCHNEIDER FÜR BOHRMASCHINE / TAGLIACAVI PER TRAPANO / CORTA CABOS PARA VERBEQUIM / НСАДКА КАБЕЛЕРЕЗНАЯ НА ДРЕЛЬ**



\*G12



COD	CAP (mm)			Kg.
60135	30	84405	1	2,8
60136	33	84406		2,9
60137	35	84407		2,9
60138	53	84408		3,2
60145	55	84409		3,3
60146	80	84410		3,8
60147	100	84411		4,0

**Especificaciones técnicas / Technical specification / Détails techniques**

Acero especial para corte de materiales metálicos / Special steel for cutting metallic materials Acier spécial de coupe pour matériaux métalliques	●
Apropiado para cualquier taladro estándar / Suitable to be used with any standard drill Approprié pour toutes perceuses standard	●
Estuche aluminio / Aluminium case / Etui aluminium	●
Uso seguro, cómodo y eficaz / Safe, comfortable and effective Utilisation sûre, commode et efficace	●



COBRE  
COPPER  
CUIVRE



ALUMINIO  
ALUMINIUM  
ALUMINIUM



COBRE MULTIPLE  
MULTI-COPPER  
CUIVRE MULTIPLE



CABLE ACERO  
STEEL WIRE ROPE  
CÂBLE ACIER



CABLE ACERO RECUBIERTO  
COATED STEEL WIRE ROPE  
CÂBLE ACIER GAINÉ



CADENA  
CHAIN  
CHAÎNE

Consultar diámetros y características de corte orientativos en página siguiente / Check guidance on diameters and cutting specifications in next page / Voir les diamètres et caractéristiques de coupe orientatifs dans la page suivante

\*G12: GARANTIA 12 MESES / 12 MONTHS OF WARRANTY / 12 MOIS DE GARANTIE / 12 MONATE GARANTIE / 12 MAANDEN GARANTIE / 12 MESI DI GARANZIA

# 3

## ELECTRICIDAD / ELECTRICIAN TOOLS / OUTILLAGE D'ELECTRICIEN / WERKZEUGE FÜR ELEKTRIKER / UTENSILI PER ELETTRICISTI / ELECTRICIDADE / ИНСТРУМЕНТ ДЛЯ ЭЛЕКТРИКОВ

Valores máximos de corte / Cutting maximum values / Valeurs maximum de coupe

COD	 Cu	 Al	 Acero/Steel	 Acero/Steel	 Acero/Steel	 ACSR
60135	(707 mm <sup>2</sup> ) Ø30mm	(707 mm <sup>2</sup> ) Ø30mm	(113 mm <sup>2</sup> ) Ø12mm	(113 mm <sup>2</sup> ) Ø12mm	(51 mm <sup>2</sup> ) Ø8mm	(707 mm <sup>2</sup> ) Ø30mm
60136	(855 mm <sup>2</sup> ) Ø33mm	(855 mm <sup>2</sup> ) Ø33mm	(113 mm <sup>2</sup> ) Ø12mm	(113 mm <sup>2</sup> ) Ø12mm	(51 mm <sup>2</sup> ) Ø8mm	-
60137	(962 mm <sup>2</sup> ) Ø35mm	(962 mm <sup>2</sup> ) Ø35mm	-	-	-	-
60138	(2206 mm <sup>2</sup> ) Ø53mm	(2206 mm <sup>2</sup> ) Ø53mm	-	-	-	(2206 mm <sup>2</sup> ) Ø53mm
60145	(2376 mm <sup>2</sup> ) Ø55mm	(2376 mm <sup>2</sup> ) Ø55mm	-	-	-	-
60146	(5027 mm <sup>2</sup> ) Ø80mm	(5027 mm <sup>2</sup> ) Ø80mm	-	-	-	-
60147	(7854 mm <sup>2</sup> ) Ø100mm	(7854 mm <sup>2</sup> ) Ø100mm	-	-	-	-

Estos valores pueden variar en función de distintas resistencias, diámetros y calidades  
 This info can be modified according to different resistance values, diameters and quality  
 Ces valeurs peuvent varier suivant les différentes résistances, diamètres et qualités



Taladro no incluido / Drill not included / Perceuse excluse

**EGA Master** S.A.  
 ART IN INNOVATION

