


Screwdrivers

Please take notice ...

... of our extensive range of screwdriver bits from page 164 on

HEXAnamic® Screwdriver



- The new **HEXAnamic Screwdriver**
- 3-component handle cover, designed according to latest know-how in cooperation with leading German work scientists:
 - component 1 (hard): optimal blade fixation
 - component 2 (hard): stability against impacts
 - component 3 (soft): protection against slipping off at axial contact pressure
- Anatomically shaped for perfect coupling between hand and screwdriver
- Recessed hexagon at the front of the handle:
 - optimized protection against slipping-off
 - prevents the screwdriver from unintended sliding-off
- Slip-proved even with oily hands
- Optimized quick-rotation area
- Resistant against petrol, acid, Skydrol, brake fluid, etc.
- Blade made of high-quality special steel, chrome-plated
- With grey tips for optimal protection against corrosion and perfect hold of the blade in the screw head

For slotted screws

ISO 2380-1:2004, ISO 2380-2:2004

From size 55 on blade with hex bolster for use with a wrench, allows application of high torque values


| HAZET No. | mm | mm | mm | mm | EAN-No. 4000896+ |
|-----------|-----|-----|-----|-----|------------------|
| 802- 30 | 3.5 | 0.6 | 80 | 179 | 144785 |
| 802- 40 | 4 | 0.8 | 100 | 199 | 144808 |
| 802- 55 | 5.5 | 1 | 125 | 239 | 144815 |
| 802- 65 | 6.5 | 1.2 | 150 | 264 | 144822 |
| 802- 80 | 8 | 1.2 | 150 | 279 | 144839 |
| 802-100 | 10 | 1.6 | 175 | 304 | 144846 |
| 802-120 | 12 | 2 | 200 | 329 | 144853 |



- For Phillips-Recess screws PH
- ISO 8764-1:2004, ISO 8764-2:2004
- Size PH 3: blade with hex bolster

| HAZET No. | mm | mm | mm | EAN-No. 4000896+ |
|-----------|----|-----|-----|------------------|
| 802-PH 0 | - | 60 | 159 | 144860 |
| 802-PH 1 | - | 80 | 194 | 144884 |
| 802-PH 2 | - | 100 | 214 | 144907 |
| 802-PH 3 | 13 | 150 | 279 | 144921 |


HEXAnamic® Screwdriver



- For Pozidriv screws PZ
- ISO 8764-1:2004, ISO 8764-2:2004
- Size PZ 3: blade with hex bolster

| HAZET No. | mm | mm | mm | EAN-No. 4000896+ |
|-----------|----|-----|-----|------------------|
| 802-PZ 0 | - | 60 | 159 | 145058 |
| 802-PZ 1 | - | 80 | 194 | 145065 |
| 802-PZ 2 | - | 100 | 214 | 145072 |
| 802-PZ 3 | 13 | 150 | 279 | 145089 |

HEXAnamic® TORX® Screwdriver



- For tamper resistant TORX® screws (inside TORX® screws with pin)
- With front hole

| HAZET No. | mm | mm | mm | EAN-No. 4000896+ |
|------------|------|-----|-----|------------------|
| 802-T 8 H | 2.31 | 60 | 159 | 145102 |
| 802-T 9 H | 2.50 | 60 | 159 | 145119 |
| 802-T 10 H | 2.74 | 80 | 159 | 145126 |
| 802-T 15 H | 3.27 | 80 | 179 | 145133 |
| 802-T 20 H | 3.86 | 100 | 179 | 145140 |
| 802-T 25 H | 4.43 | 100 | 214 | 145164 |
| 802-T 27 H | 4.99 | 115 | 214 | 145171 |
| 802-T 30 H | 5.52 | 115 | 229 | 145188 |
| 802-T 40 H | 6.65 | 130 | 229 | 145195 |
| 802-T 45 H | 7.82 | 130 | 259 | 145201 |

Screwdriver



- With handles made of Durethan®
- According to Swiss standard VSM 35601
- Blades offset, parallel faces
- Chrome-Vanadium
- Blades mat chrome-plated, tips burnished

| HAZET No. | mm | mm | mm | EAN-No. 4000896+ |
|-----------|-----|------|-----|------------------|
| 800-00 | 70 | 2,0 | 0,3 | 032037 |
| 800-0 | 80 | 2,5 | 0,4 | 032020 |
| 800-1 | 90 | 3,5 | 0,5 | 032044 |
| 800-2 | 100 | 4,0 | 0,6 | 032051 |
| 800-3 | 120 | 5,5 | 0,8 | 032068 |
| 800-4 | 140 | 6,5 | 1,0 | 032075 |
| 800-5 | 160 | 8,0 | 1,2 | 032082 |
| 800-6 | 180 | 10,0 | 1,6 | 032099 |

Screwdriver



- For Phillips-Recess screws PH

| HAZET No. | mm | EAN-No. 4000896+ |
|-----------|-----|------------------|
| 800-PH 0 | 60 | 032136 |
| 800-PH 1 | 80 | 032143 |
| 800-PH 2 | 100 | 032150 |



- For Pozidriv screws PZ

| HAZET No. | mm | EAN-No. 4000896+ |
|-----------|-----|------------------|
| 800-PZ 1 | 80 | 032174 |
| 800-PZ 2 | 100 | 032181 |

Screwdriver Set



* = in HAZET plastic drawer insert

| HAZET No. | EAN-No. 4000896+ |
|--|------------------|
| 6 pieces Contents: 800-1 2 3 4 5 6 | |
| 800/6 * | 032198 |
| 8 pieces Contents: 800-1 2 3 5 800-PH 1 PH 2 PZ 1 PZ 2 | |
| 800/8 | 032211 |
| 8 pieces Contents: 800-1 2 3 4 5 800-PH 0 PH 1 PH 2 | |
| 800/8-1 | 032228 |

TRInamicULTRA Screwdriver



- For slotted screws
- Short style
- 2-component handle

| HAZET No. | mm | mm | mm | mm | EAN-No. 4000896+ |
|-----------|-----|-----|-----|----|------------------|
| 801 K-35 | 3.5 | 0.6 | 3.5 | 25 | 079964 |
| 801 K-55 | 5.5 | 1 | 5.5 | 25 | 079971 |
| 801 K-80 | 8 | 1.2 | 8 | 25 | 079988 |

Screwdrivers

TRInamicULTRA Screwdriver



- For Phillips-Recess screws PH
- Short style
- 2-component handle

| HAZET No. | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|------------|-------------------|-------------------|------------------|
| 801 K-PH 1 | 25 | 89 | 080038 |
| 801 K-PH 2 | 25 | 89 | 080045 |



- For Pozidriv screws PZ
- Short style
- 2-component handle

| HAZET No. | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|------------|-------------------|-------------------|------------------|
| 801 K-PZ 1 | 25 | 89 | 080090 |
| 801 K-PZ 2 | 25 | 89 | 080106 |

HEXAnamic® Screwdriver Set



* = in plastic drawer insert

| HAZET No. | EAN-No. 4000896+ |
|--|------------------|
| 6 pieces Contents: 802-40 55 65 80 802-PH 1 PH 2 802/6 * | 145560 |
| 10 pieces Contents: 802-30 40 55 65 80 100 802-PH 1 PH 2 801 K-55 801 K-PH 2 802/10 | 145577 |
| 5 pieces Contents: 802-T 10 H T 15 H T 20 H T 25 H T 30 H 802 T H/5 * | 145591 |
| 7 pieces Contents: 802-T 8 H T 9 H T 10 H T 15 H T 20 H T 25 H T 30 H 802 T H/7 * | 145607 |

TRInamicULTRA Screwdriver with Impact Cap



- Multicomponent handle provides optimal surfaces and a very good grip
- Impact cap made of tempered steel
- Blades with hex bolster for use with a wrench
- Tips PH ISO 8764-1
Tip slot similar ISO 2380
- Chrome-Vanadium
- Blades chrome-plated, tips burnished

| HAZET No. | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|------------|-------------------|-------------------|------------------|
| 801 U-45 | 4.5 | 0.7 | 90 199 109395 |
| 801 U-55 | 5.5 | 0.8 | 100 209 109401 |
| 801 U-70 | 7 | 1 | 125 248 109418 |
| 801 U-PH 1 | - | - | 90 194 109692 |
| 801 U-PH 2 | - | - | 100 223 109708 |
| 801 U-PH 3 | - | - | 150 282 118328 |

5 pieces, cardboard packed
 Contents:
 801 U-45 55 70 801 U-PH 1 PH 2
 801 U/5 - - - - 109388

trinamic® Screwdriver



- With trinamic handle
- Ergonomic design and high capacity
- High power transmission
- Chrome-Vanadium
- Blades chrome-plated, tips burnished
- * = Blade with **hex bolster** for use with a wrench – allows application of high torque values
- + = Indication not according to ISO 2380-2

| HAZET No. | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|---------------------------|-------------------|-------------------|------------------|
| For slotted screws | | | |
| ISO 2380-2 | | | |
| 803-20 + | 2 | 0.4 | 63 143 077434 |
| 803-25 | 2.5 | 0.4 | 75 155 077441 |
| 803-30 + | 3 | 0.5 | 80 160 077458 |
| 803-35 | 3.5 | 0.6 | 100 193 077465 |
| 803-40 | 4 | 0.8 | 100 193 077472 |
| 803-55 | 5.5 | 1 | 125 218 077489 |
| 803 S-55 * | 5.5 | 1 | 125 235 089109 |
| 803-65 | 6.5 | 1.2 | 150 260 077496 |
| 803 S-65 * | 6.5 | 1.2 | 150 270 089116 |
| 803-80 * | 8 | 1.2 | 150 272 077502 |
| 803-100 * | 10 | 1.6 | 175 309 077519 |
| 803-120 * | 12 | 2 | 200 334 077526 |
| 803-140 * | 14 | 2.5 | 250 384 077533 |

trinamic® Screwdriver




- For Phillips-Recess screws PH
- From size PH 3 on, blade with hex bolster
- DIN ISO 8764-2, ISO 8764-2

| HAZET No. | Ø mm | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|-----------|------|-------------------|-------------------|------------------|
| 803-PH 0 | - | 60 | 138 | 077557 |
| 803-PH 1 | - | 80 | 168 | 077564 |
| 803-PH 2 | - | 100 | 200 | 077571 |
| 803-PH 3 | 13 | 150 | 265.5 | 077588 |
| 803-PH 4 | 16 | 200 | 325 | 077595 |




- For Pozidriv screws PZ
- Marking ring blue
- From size PZ 3 on, blade with hex bolster

| HAZET No. | Ø mm | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|-----------|------|-------------------|-------------------|------------------|
| 803-PZ 0 | - | 53.5 | 137.5 | 077625 |
| 803-PZ 1 | - | 73 | 166.5 | 077632 |
| 803-PZ 2 | - | 94.5 | 199.5 | 077649 |
| 803-PZ 3 | 13 | 142 | 265 | 077656 |
| 803-PZ 4 | 16 | 192 | 324 | 077663 |



- For deeply located slotted screws
- Extra-long style

| HAZET No. | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|-----------|-------------------|-------------------|------------------|
| 803 Lg-55 | 5.5 | 1 | 410 520.5 077540 |



- For deeply located Phillips-Recess screws PH
- Extra-long style

| HAZET No. | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|-------------|-------------------|-------------------|------------------|
| 803 Lg-PH 1 | 250 | 340 | 077601 |
| 803 Lg-PH 2 | 250 | 351 | 077618 |

TORX® trinamic® Screwdriver




For inside TORX® screws

| HAZET No. | Ø mm | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|-----------|------|-------------------|-------------------|------------------|
| 803-T 6 | 1.67 | 48 | 112 | 077670 |
| 803-T 7 | 1.99 | 48 | 112 | 077687 |
| 803-T 8 | 2.31 | 55 | 127 | 077694 |
| 803-T 9 | 2.50 | 55 | 127 | 077700 |
| 803-T 10 | 2.74 | 70 | 150 | 077717 |
| 803-T 15 | 3.27 | 70 | 150 | 077724 |
| 803-T 20 | 3.86 | 84 | 175 | 077731 |
| 803-T 25 | 4.43 | 84 | 175 | 077748 |
| 803-T 27 | 4.99 | 99 | 200 | 077755 |
| 803-T 30 | 5.52 | 99 | 200 | 077762 |
| 803-T 40 | 6.65 | 99 | 217 | 086214 |

Screwdrivers


TORX® trinamic® Screwdriver



- For inside TORX® screws
- Long, slim style
- Application e.g. at the dashboard, car body, engine compartment as well as in industry

| HAZET No. | mm | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|-------------|------|-------------------|-------------------|------------------|
| 803 Lg-T 15 | 3.27 | 250 | 330 | 087785 |
| 803 Lg-T 20 | 3.86 | 250 | 343 | 087792 |
| 803 Lg-T 25 | 4.43 | 250 | 345 | 087808 |
| 803 Lg-T 30 | 5.52 | 250 | 360 | 087815 |

Screwdriver for Electricians



- For working on live parts, tension range to AC 1000 V and DC 1500 V
- Protected according to EN/IEC 60900:2004

- For slotted screws
- Tips according to ISO 2380 form A
- Wedge-shaped
- Tips burnished

| HAZET No. | mm | mm | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|---------------|-----|-----|-------------------|-------------------|------------------|
| 803 VDE-25 | 2.5 | 0.4 | 75 | 155 | 079544 |
| 803 VDE-30 | 3 | 0.5 | 100 | 180 | 077786 |
| 803 VDE-35 | 3.5 | 0.6 | 100 | 190 | 077793 |
| 803 VDE-40 | 4 | 0.8 | 100 | 190 | 077809 |
| 803 VDE-55 | 5.5 | 1 | 125 | 225 | 077816 |
| 803 VDE-65 | 6.5 | 1.2 | 150 | 250 | 077823 |
| Parallel tips | | | | | |
| 803 VDE-80 | 8 | 1.2 | 175 | 285 | 077830 |



- For Phillips-Recess screws PH
- Protected according to EN/IEC 60900:2004
- Tips burnished
- Tips according to ISO 8764-1

| HAZET No. | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|--------------|-------------------|-------------------|------------------|
| 803 VDE-PH 0 | 60 | 140 | 077847 |
| 803 VDE-PH 1 | 80 | 170 | 077854 |
| 803 VDE-PH 2 | 100 | 200 | 077878 |
| 803 VDE-PH 3 | 150 | 260 | 077861 |



Screwdriver Set



In plastic drawer insert (except for 803/6-2, 803 T/5, 803 T/7, 803 Lg-T/4)

| HAZET No. | EAN-No. 4000896+ |
|--------------------------------------|------------------|
| 5 pieces | |
| Contents: | |
| 803-40 55 65 | |
| 803-PH 1 PH 2 | |
| 803/5 | 082209 |
| 6 pieces | |
| Contents: | |
| 803-40 55 65 80 | |
| 803-PH 1 PH 2 | |
| 803/6 | 080373 |
| 6 pieces | |
| Contents: | |
| 803-40 55 65 80 | |
| 803-PZ 1 PZ 2 | |
| 803/6-1 | 080380 |
| 10 pieces | |
| Contents: | |
| 803-25 30 35 40 65 80 | |
| 803-PH 1 PH 2 | |
| 801 K-55 801 K-PH 2 | |
| 803/10 | 080236 |
| 6 pieces | |
| Contents: | |
| 803-25 30 35 40 55 65 | |
| 803/6-2 | 084777 |
| 13 pieces | |
| Contents: | |
| 801 K-55 801 K-PH 2 | |
| 803-25 30 35 40 65 80 | |
| 803-PZ 1 PZ 2 | |
| 803-PH 1 PH 2 PH 3 | |
| 803/13 | 098514 |
| For inside TORX® screws | |
| 5 pieces | |
| Contents: | |
| 803-T 10 T 15 T 20 T 25 T 30 | |
| 803 T/5 | 080410 |
| 7 pieces | |
| Contents: | |
| 803-T 8 T 9 T 10 T 15 T 20 T 25 T 30 | |
| 803 T/7 | 087334 |
| Long style, for inside TORX® screws | |
| 4 pieces | |
| Contents: | |
| 803 Lg-T 15 T 20 T 25 T 30 | |
| 803 Lg-T/4 | 098798 |
| Screwdriver Set for Electricians | |
| 6 pieces | |
| Contents: | |
| 803 VDE-25 40 55 65 | |
| 803 VDE-PH 1 PH 2 | |
| 803 VDE/6 | 080229 |


Clip Screwdriver



- The versatile screwdriver for everyday-use – always ready to hand
- With fibre reinforced scraper for damage-free removing of stickers etc.
- Clip holds screwdriver tight in every pocket, e.g. breast or sleeve pocket
- Rotating clip improves handling
- Blade chrome-plated
- For slotted screws

| HAZET No. | mm | mm | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|-----------|-----|-----|-------------------|-------------------|------------------|
| 805 C-25 | 2.5 | 0.4 | 30 | 130 | 089123 |

Electronic Screwdriver



- New handles – new design
- For smallest screws
- With revolving-head
- Best grip due to recessed handle
- Chrome-Vanadium
- Blades burnished
- For slotted screws
- Marking ring grey

| HAZET No. | mm | mm | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|-----------|-----|-----|-------------------|-------------------|------------------|
| 805-015 | 1.5 | 0.3 | 60 | 153 | 032587 |
| 805-02 | 2 | 0.4 | 60 | 153 | 032594 |
| 805-025 | 2.5 | 0.4 | 75 | 168 | 032600 |
| 805-03 | 3 | 0.5 | 75 | 168 | 032617 |



- For Phillips-Recess screws PH
- Marking ring yellow

| HAZET No. | l ₁ mm | l ₂ mm | EAN-No. 4000896+ |
|-----------|-------------------|-------------------|------------------|
| 805-PH 00 | 60 | 153 | 032631 |
| 805-PH 0 | 60 | 153 | 032624 |
| 805-PH 1 | 80 | 173 | 032648 |

Screwdrivers

Electronic Screwdriver Set



- For slotted and Phillips-Recess screws

• 7 pieces, in plastic box

Contents:

805-015 02 025 03
 805-PH 00 PH 0 PH 1

| HAZET No. | EAN-No. 4000896+ |
|-----------|------------------|
| 805/7 | 032655 |



- For inside TORX® screws

• 7 pieces, in plastic box

Contents:

808-T 5 T 6 T 7 T 8 T 9 T 10 T 15

| HAZET No. | EAN-No. 4000896+ |
|-----------|------------------|
| 808/7 | 055050 |


Screwdriver



- With wooden handle
- With blade passing through the handle
- For slotted screws
- Blade with hex bolster

| HAZET No. | b mm | l mm | l1 mm | l2 mm | EAN-No. 4000896+ |
|-----------|------|------|-------|-------|------------------|
| 815-1 | 5.5 | 0.8 | 10 | 100 | 033096 |
| 815-2 | 6.5 | 1 | 10 | 125 | 033102 |
| 815-3 | 8 | 1.2 | 13 | 150 | 033119 |
| 815-4 | 10 | 1.6 | 13 | 175 | 033126 |
| 815-5 | 12 | 2 | 16 | 200 | 033133 |
| 815-6 | 14 | 2.5 | 16 | 250 | 033140 |

Screwdriver



- For Phillips-Recess screws PH
- From size PH 3 on, blade with hex bolster

| HAZET No. | Ø mm | l1 mm | l2 mm | EAN-No. 4000896+ |
|-----------|------|-------|-------|------------------|
| 815-PH 1 | - | 80 | 180 | 077885 |
| 815-PH 2 | - | 100 | 210 | 077892 |
| 815-PH 3 | 13 | 150 | 265 | 077908 |
| 815-PH 4 | 16 | 200 | 335 | 077915 |

Screwdriver Set

Cardboard packed, 5 pieces

Contents:

815-1 2 3
 815-PH 1 PH 2

| HAZET No. | EAN-No. 4000896+ |
|-----------|------------------|
| 815/5 | 033157 |

Offset Screwdriver



- For slotted screws
- Chrome-Vanadium
- Surface chrome-plated
- DIN 5200

| HAZET No. | b mm | l mm | l1 mm | l2 mm | EAN-No. 4000896+ |
|-----------|------|------|-------|-------|------------------|
| 818-1 | 3.5 | 0.6 | 8,5 | 90 | 033164 |
| 818-2 | 5.5 | 1 | 10,5 | 125 | 033171 |
| 818-3 | 8 | 1.2 | 17 | 150 | 033188 |




- For Phillips-Recess screws PH
- DIN 5208

| HAZET No. | l1 mm | l2 mm | EAN-No. 4000896+ |
|-----------------|-------|-------|------------------|
| 819-PH 1 + PH 2 | 20 | 125 | 033201 |

VDE Screwdriver Set



VDE Screwdriver Set



Safety Tools according to DIN ISO 60900


- All screwdrivers 10,000 volts tested, safe working guaranteed up to 1,000 volts
- Safe fixing of blades in handle, automatic locking for unintended pulling-out
- Plug-on cap and soft gripping area for use as precision tools
- First compact VDE Tool Set (not only) for electricians
- Excellent quality and function

14 pieces, in metal box
 2.5 x 0.4 3.0 x 0.5 3.5 x 0.6
 4.0 x 0.8 5.5 x 1.0 6.5 x 1.2

PH 1 PH 2
 PZ 2
 T 10 T 15 T 20

| HAZET No. | EAN-No. 4000896+ |
|------------|------------------|
| 804 VDE/14 | 133000 |

Hollow Three-Square Scraper



Tips ground

| HAZET No. | l1 mm | l2 mm | EAN-No. 4000896+ |
|-----------|-------|-------|------------------|
| 821-1 | 150 | 260 | 033683 |
| 821-2 | 200 | 315 | 033690 |

Angle Scraper



- For removal of underseal (esp. PVC), antidrumming compound, joint sealant, stickers, etc.
- Scraping of sealing residues, e.g. at the cylinder head
- Scraping cable channels in Ytong blocks
- Environmentally friendly working:
 - no formation of dust
 - no formation of noise
 - no formation of chloric or dioxin gas (as it occurs e.g. when burning residues)
- With replaceable and reversible blades made of HSS bimetal
- Various applications possible due to different blade shapes and a total length of 270 mm
- Chrome-Vanadium
- Surface chrome-plated

| HAZET No. | b mm | l mm | EAN-No. 4000896+ |
|--------------------------------------|------|------|------------------|
| Handle only with blade 822-01 (flat) | | | |
| 822 | 20 | 270 | 033713 |
| Blade Set for 822 (5 pieces per set) | | | |
| 822-01/5 | - | - | 033720 |

Screwdrivers

Fine Three-Square Scraper



- With protective coating made of viscoplastic and impact-resistant plastic material
- With protection cap
- Special steel

| HAZET No. | l_1 mm | l_2 mm | EAN-No. 4000896+ |
|-----------|----------|----------|------------------|
| 823 | 25 | 148 | 033874 |

Blunt Scraper



- For the removal of sealing residues
- 824 long blade
- 824-1 short blade
- Special steel
- Surface galvanized

| HAZET No. | b mm | l_1 mm | l_2 mm | EAN-No. 4000896+ |
|-----------|------|----------|----------|------------------|
| 824 | 23 | 150 | 270 | 033881 |
| 824-1 | 23 | 55 | 165 | 033898 |

Blunt Scraper



With exchangeable hard-metal tip


| HAZET No. | b mm | l_1 mm | l_2 mm | EAN-No. 4000896+ |
|-----------|------|----------|----------|------------------|
| 825-25 | 25 | 267 | 397 | 033959 |



Replacement hard-metal tip for 825-25

| | | | | |
|---------|----|----|---|--------|
| 825-025 | 25 | 25 | - | 033928 |
|---------|----|----|---|--------|

Screwdriver



- For inside hexagon screws
- With ergonomically shaped 2-component T-handle
- Chrome-Vanadium
- Surface chrome-plated, tips burnished


| HAZET No. | S mm | l_1 mm | l_2 mm | EAN-No. 4000896+ |
|-----------|------|----------|----------|------------------|
| 828- 2 | 2 | 100 | 118 | 034123 |
| 828- 2.5 | 2,5 | 110 | 118 | 034130 |
| 828- 3 | 3 | 150 | 168 | 034161 |
| 828- 4 | 4 | 150 | 176 | 034192 |
| 828- 5 | 5 | 200 | 226 | 034222 |
| 828- 6 | 6 | 200 | 234 | 034246 |
| 828- 8 | 8 | 200 | 234 | 034260 |
| 828-10 | 10 | 200 | 234 | 034109 |

TORX® Screwdriver



- For inside TORX® screws
- With ergonomically shaped 2-component T-handle
- Chrome-Vanadium
- Surface chrome-plated, tips burnished

| HAZET No. | S mm | l_1 mm | l_2 mm | EAN-No. 4000896+ |
|-----------|------|----------|----------|------------------|
| 828-T 6 | 1.67 | 80 | 98 | 034451 |
| 828-T 7 | 1.99 | 80 | 98 | 034468 |
| 828-T 8 | 2.31 | 80 | 98 | 034475 |
| 828-T 9 | 2.50 | 80 | 98 | 034482 |
| 828-T 10 | 2.74 | 100 | 126 | 034291 |
| 828-T 15 | 3.27 | 100 | 126 | 034307 |
| 828-T 20 | 3.86 | 100 | 126 | 034321 |
| 828-T 25 | 4.43 | 110 | 136 | 034345 |
| 828-T 27 | 4.99 | 120 | 146 | 034376 |
| 828-T 30 | 5.52 | 130 | 156 | 034383 |
| 828-T 40 | 6.65 | 130 | 164 | 034413 |
| 828-T 45 | 7.82 | 130 | 164 | 034420 |
| 828-T 50 | 8.83 | 130 | 164 | 034437 |



- For inside TORX® screws
- Extra long style
- With ergonomically shaped 2-component T-handle
- Chrome-Vanadium
- Surface chrome-plated, tips burnished

| HAZET No. | S mm | l_1 mm | l_2 mm | EAN-No. 4000896+ |
|-------------|------|----------|----------|------------------|
| 828 Lg-T 20 | 3.86 | 200 | 226 | 139941 |
| 828 Lg-T 30 | 5.52 | 290 | 316 | 116638 |

Screwdriver



Screwdriver

- For inside hexagon screws
- With ergonomically shaped 2-component T-handle with lateral blade
- The design of the screwdrivers ensures an efficient and flexible application under different accessibility conditions
- Chrome-Vanadium
- Surface chrome-plated, tips burnished

| HAZET No. | S mm | l_1 mm | l_2 mm | EAN-No. 4000896+ |
|-----------|------|----------|----------|------------------|
| 829-2 | 2 | 100 | 118 | 133796 |
| 829-2.5 | 2,5 | 100 | 118 | 133819 |
| 829-3 | 3 | 150 | 168 | 133826 |
| 829-4 | 4 | 150 | 176 | 133833 |
| 829-5 | 5 | 200 | 176 | 133840 |
| 829-6 | 6 | 200 | 234 | 133857 |

TORX® Screwdriver



- For inside TORX® screws
- With ergonomically shaped 2-component T-handle with lateral blade
- The design of the screwdrivers ensures an efficient and flexible application under different accessibility conditions
- Chrome-Vanadium
- Surface chrome-plated, tips burnished

| HAZET No. | S mm | l_1 mm | l_2 mm | EAN-No. 4000896+ |
|-----------|------|----------|----------|------------------|
| 829-T 15 | 3.27 | 100 | 126 | 133727 |
| 829-T 20 | 3.86 | 100 | 126 | 133734 |
| 829-T 25 | 4.43 | 110 | 136 | 133741 |
| 829-T 27 | 4.99 | 120 | 146 | 133758 |
| 829-T 30 | 5.52 | 130 | 156 | 133765 |
| 829-T 40 | 6.65 | 130 | 164 | 133772 |

Voltmeter



839-1



839-2

- 220–250 V according to standard VDE 0680
- Slotted blade, concave ground
- Extra long handle, 92 mm
- With clip
- Defective glow tube not replaceable according to VDE




| HAZET No. | l_1 mm | l_2 mm | EAN-No. 4000896+ |
|-----------|----------|----------|------------------|
| 839-1 | 58 | 150 | 035670 |
| 839-2 | 61 | 150 | 080441 |

Thread Repair

HAZET – Thread Repair Sets

Cost-saving repair of damaged or worn-out threads

- ✓ For application / threads M 5, M 6, M 7, M 8, M 9, M 10, M 11, M 12, M 14
- ✓ High-quality stainless chrome-nickel steel provides good female threads resisting the influences of temperature and corrosion
- ✓ **Application:**
 Thread plating of materials presenting a low shearing resistance, e.g. aluminium and magnesium alloys; in machine construction, automotive and electrical engineering.



Information

Structure of the article number of the thread repair sets:

842-8 x 1,0/24

Thread diameter
 ▲
 M 8

Thread pitch 1,0
 ▲
 Packing unit
 ▲
 24 pieces

Length dimensions l_{mm}
 of the built-in threaded inserts

3

Thread Repair

Screw Extractor



- For turning out worn screws and bolts with right-handed thread
- Ground
- Chrome-Vanadium

| HAZET No. | Ø mm | M | EAN-No. 4000896+ |
|-----------|---------|-------|------------------|
| 840-1 | 1.4-3.6 | 3-6 | 035687 |
| 840-2 | 2.1-4.9 | 6-8 | 035694 |
| 840-3 | 3.1-6.5 | 8-11 | 035700 |
| 840-4 | 4.8-8.8 | 11-14 | 035717 |
| 840-5 | 6.2-11 | 14-18 | 035724 |
| 840-6 | 9.4-15 | 18-24 | 035731 |
| 840-7 | 12.7-19 | 24-33 | 035748 |
| 840-8 | 17.5-24 | 33-45 | 035755 |

Screw Extractor Set



In plastic box


| HAZET No. | EAN-No. 4000896+ |
|---------------------|------------------|
| 5 pieces | |
| Contents: | |
| 840-1 2 3 4 5 | |
| 840/5 | 035762 |
| 8 pieces | |
| Contents: | |
| 840-1 2 3 4 5 6 7 8 | |
| 840/8 | 035786 |



Stud Extractor Set



- For turning out broken bolts and screws
- Ø 6 to 15 mm
- Application:
 1. Bore up with drill and tapping sleeve
 2. Insert grooved stud extractor
 3. Put on union nut and screw out broken bolt or screw
- Special steel
- Surface burnished



| HAZET No. | EAN-No. 4000896+ |
|---------------------------------|------------------|
| Set of 25 pieces in plastic box | |
| 841/25 | 060993 |
| Union Nuts | |
| 841-01 | 074433 |
| 841-02 | 074440 |
| 841-03 | 074457 |
| 841-04 | 074464 |
| 841-05 | 074471 |
| Tapping Sleeves | |
| 841-06 | 074488 |
| 841-07 | 074495 |
| 841-08 | 074501 |
| 841-09 | 074518 |
| 841-010 | 074525 |
| 841-011 | 074532 |
| 841-012 | 074549 |
| 841-013 | 074556 |
| 841-014 | 074563 |
| 841-015 | 074570 |
| Stud Extractors | |
| 841-016 | 074587 |
| 841-017 | 074594 |
| 841-018 | 074600 |
| 841-019 | 074617 |
| 841-020 | 074624 |

| Tapping Sleeve | Drill-Ø mm | Stud-Extractor | Suitable for |
|----------------|------------|----------------|----------------|
| 841-06 | 4 | 841-016 | M 5 3/16" |
| 841-07 | 4 | 841-016 | M 6 9/32" 1/4" |
| 841-08 | 4 | 841-016 | M 7 9/32" |
| 841-09 | 4 | 841-016 | M 8 5/16" |
| 841-010 | 5 | 841-017 | M 8 5/16" |
| 841-011 | 5 | 841-017 | M 9 11/32" |
| 841-012 | 5 | 841-017 | M10 3/8" |
| 841-013 | 6 | 841-018 | M11 7/16" |
| 841-014 | 7.5 | 841-019 | M12 15/32" |
| 841-015 | 8.5 | 841-020 | M14 9/16" |

Thread Repair Set



- For the repair of damaged or worn-out threads
- Thread plating of materials presenting a low shearing resistance, e.g. aluminium and magnesium alloys; application in machine construction, automotive engineering, electrical and medical engineering.
- Reuse of rejects
- High-quality chrome-nickel stainless steel provides good female threads resisting the influences of weathering and corrosion
- Complete sets with twist drill, installation tool, screw tap, pin breaking tool and threaded inserts
- Application:
 - ① Drill out the damaged thread
 - ② Control (thread and thread pitch)
 - ③ Tap new thread into pre-drilled hole
 - ④ Install the threaded insert
 - ⑤ Lift the installation tool
 - ⑥ Remove the drive pin with the pin breaking tool

Length dimensions of the built-in threaded inserts

| HAZET No. | l mm | M | EAN-No. 4000896+ |
|--|------|------------|------------------|
| Thread Repair Set M 5 | | | |
| 24 pieces: | | | |
| 20 threaded inserts M 5 x 0.8 x 6.7 mm | | | |
| 1 part each: twist drill, tap, installation tool, pin breaking tool | | | |
| 842-5/24 | 6.7 | M 5 x 0.8 | 119295 |
| Refill Set 10 pieces M 5 x 0,8 | | | |
| 842-05/10 | - | - | 124442 |
| Thread Repair Set M 6 | | | |
| 24 pieces: | | | |
| 20 threaded inserts M 6 x 1.0 x 8 mm | | | |
| 1 piece each: twist drill, tap, installation tool, pin breaking tool | | | |
| 842-6/24 | 8 | M 6 x 1.0 | 119301 |
| Refill Set 10 pieces M 6 x 1,0 | | | |
| 842-06 K x 1.0/10 | - | - | 135196 |
| 842-06/10 | - | - | 124459 |
| 842-06 L x 1.0/10 | - | - | 135189 |
| Thread Repair Set M 7 | | | |
| 24 pieces: | | | |
| 20 threaded inserts M 7 x 1.0 x 9.5 mm | | | |
| 1 piece each: twist drill, tap, installation tool, pin breaking tool | | | |
| 842-7 x 1.0/24 | 9.5 | M 7 x 1.0 | 134960 |
| Refill Set 10 pieces M 7 x 1,0 | | | |
| 842-07 x 1.0/10 | - | - | 135080 |
| Thread Repair Set M 8 | | | |
| 24 pieces: | | | |
| 20 threaded inserts M 8 x 1.25 x 10.8 mm | | | |
| 1 piece each: twist drill, tap, installation tool, pin breaking tool | | | |
| 842-8/24 | 10.8 | M 8 x 1.25 | 119318 |
| Refill Set 10 pieces M 8 x 1,25 | | | |
| 842-08 K x 1.25/10 | - | - | 135226 |
| 842-08/10 | - | - | 124466 |
| 842-08 L x 1.25/10 | - | - | 135202 |

Thread Repair

Thread Repair Set

Length dimensions l of the built-in threaded inserts (E)

| HAZET No. | l mm | M | EAN-No. 4000896+ |
|-----------|--------|---|------------------|
|-----------|--------|---|------------------|

Thread Repair Set M 8

24 pieces:
 20 threaded inserts M 8 x 1.0 x 11 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-8 x 1.0/24 11 M 8 x 1.0 134984

Refill Set 10 pieces M 8 x 1,0

842-08 x 1.0/10 - - 135103

Thread Repair Set M 9

24 pieces:
 20 threaded inserts M 9 x 1.25 x 12.3 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-9 x 1.25/24 12.3 M 9 x 1.25 135004

Refill Set 10 pieces M 9 x 1,25

842-09 x 1.25/10 - - 135110

Thread Repair Set M 10

14 pieces:
 10 threaded inserts M 10 x 1.5 x 13.5 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-10/14 13.5 M 10 x 1.5 119325

Refill Set 10 pieces M 10 x 1,5

842-010 K x 1.5/10 - - 135240

842-010/10 - - 124473

842-010 L x 1.5/10 - - 135233

Thread Repair Set M 10

14 pieces:
 10 threaded inserts M 10 x 1.0 x 14 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-10 x 1.0/14 14 M 10 x 1.0 135028

Refill Set 10 pieces M 10 x 1,0

842-010 x 1.0/10 - - 135134

Thread Repair Set M 10

14 pieces:
 10 threaded inserts M 10 x 1.25 x 13.8 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-10 x 1.25/14 13.8 M 10 x 1.25 135011

Refill Set 10 pieces M 10 x 1,25

842-010 x 1.25/10 - - 135127

Thread Repair Set M 11

14 pieces:
 10 threaded inserts M 11 x 1.5 x 15 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-11 x 1.5/14 15 M 11 x 1.5 135035

Refill Set 10 pieces M 11 x 1,5

842-011 x 1.5/10 - - 135141

Thread Repair Set M 12

14 pieces:
 10 threaded inserts M 12 x 1.75 x 16.3 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-12/14 16.3 M 12 x 1.75 119530

Refill Set 10 pieces M 12 x 1,75

842-012/10 - - 124480

Thread Repair Set M 12

14 pieces:
 10 threaded inserts M 12 x 1.0 x 17 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-12 x 1.0/14 17 M 12 x 1.0 135066

Refill Set 10 pieces M 12 x 1,0

842-012 x 1.0/10 - - 135172

Thread Repair Set

Length dimensions l of the built-in threaded inserts (E)

| HAZET No. | l mm | M | EAN-No. 4000896+ |
|-----------|--------|---|------------------|
|-----------|--------|---|------------------|

Thread Repair Set M 12

14 pieces:
 10 threaded inserts M 12 x 1.25 x 16.8 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-12 x 1.25/14 16.8 M 12 x 1.25 135059

Refill Set 10 pieces M 12 x 1,25

842-012 x 1.25/10 - - 135158

Thread Repair Set M 12

14 pieces:
 10 threaded inserts M 12 x 1.5 x 16.5 mm
 1 piece each: twist drill, tap, installation tool, pin breaking tool

842-12 x 1.5/14 16.5 M 12 x 1.5 128648

Refill Set 10 pieces M 12 x 1,5

842-012 x 1.5/10 - - 128785

Thread Repair Set for spark plug threads M 14 x 1.25

17 pieces:
 5 threaded inserts M 14 x 1.25 x 16.4 mm
 5 threaded inserts M 14 x 1.25 x 12.4 mm
 5 threaded inserts M 14 x 1.25 x 8.4 mm
 1 piece each: tap, installation tool

842-14/17 - M 14 x 1.25 119547

Refill Set 10 pieces M 14 x 1,25

842-014/10 - - 124497

842-014 A/10 - - 126354

842-014 B/10 - - 126347

Thread Repair Assortment

130 pieces:
 25 threaded inserts M 5 x 0.8 x 6.7 mm
 25 threaded inserts M 6 x 1.0 x 8.0 mm
 25 threaded inserts M 8 x 1.25 x 10.8 mm
 25 threaded inserts M 10 x 1.5 x 13.5 mm
 10 threaded inserts M 12 x 1.75 x 16.3 mm
 5 each twist drills, taps, installation tools, pin breaking tools

842-512/130 - M 5 - M 12 119554

Thread Repair Assortment 87 pieces:

25 threaded inserts M 6 x 1.0 x 8.0 mm
 25 threaded inserts M 8 x 1.25 x 10.8 mm
 25 threaded inserts M 10 x 1.5 x 13.5 mm
 3 each twist drills, taps, installation tools, pin breaking tools

842-610/87 - M 6-M 10 129669

Thread Repair Assortment 113 pieces:

25 threaded inserts M 6 x 1.0 x 8.0 mm
 25 threaded inserts M 8 x 1.25 x 10.8 mm
 25 threaded inserts M 10 x 1.5 x 13.5 mm
 10 tap inserts M 12 x 1.75 x 16.3 mm
 10 tap inserts M 14 x 1.25 x 16.4 mm
 4 each twist drills, pin breaking tools, 5 taps, installation tools

842-614/113 - M 6-M 14 119561

Universal Thread Repair Tool



Universal Thread Repair Tool

For thread diameters 4–13 mm ($\frac{5}{32}$ "– $\frac{1}{2}$ ")

- Quick fixation due to adjusting screw
- Blades automatically adapted to any thread pitch within range
- Repairs right- and left-hand threads (observe direction of rotation!)
- Applicable to all forms of metric and non-metric threads

| HAZET No. | M | EAN-No. 4000896+ |
|-----------|---|------------------|
| 842 AG-1 | 4-13 mm / $\frac{5}{32}$ "– $\frac{1}{2}$ " | 140718 |

Universal Thread Repair Tool



For thread diameters 16–38 mm ($\frac{5}{8}$ "– $1\frac{1}{2}$ ")

- Quick fixation due to adjusting screw
- Blades automatically adapted to any thread pitch within range
- Repairs right- and left-hand threads (observe direction of rotation!)
- Applicable to all forms of metric and non-metric threads

| HAZET No. | M | EAN-No. 4000896+ |
|-----------|--|------------------|
| 842 AG-3 | 16-38 mm / $\frac{5}{8}$ "– $1\frac{1}{2}$ " | 149230 |

Universal Thread Repair Tool Set



For outside thread 4–13 mm ($\frac{5}{16}$ "– $\frac{1}{2}$ ") and inside thread 5–12 mm ($1\frac{3}{64}$ "– $\frac{1}{2}$ ")

- Simple and quick fixation due to knurled screw
- Manual operation will suffice
- Also suitable for aluminium threads
- Repairs right- and left-hand threads
- Applicable to all forms of metric and non-metric threads

| HAZET No. | EAN-No. 4000896+ |
|---|------------------|
| 1 Tool for outside threads 2 Tools for inside threads protective covers for aluminium threads | |
| 842 AIG-1/4 | 153428 |
| 2 Tools for inside threads protective covers for aluminium threads (There is an empty compartment provided in the plastic box for HAZET 842 AG-1) | |
| 842 IG-1/3 | 153411 |

Thread Repair

Single-Cut Tap / Drill Set



- For cordless screwdrivers/drills and power drills with forward and reverse
- **One working step: taper tap – plug tap – bottoming tap combined in one tool**
- High-quality HSS-G twist drill bits
- Bit holder with clamping spring (non magnetic) allows fast changing of the drill and tapping bits
- Set of 13 pieces in plastic box

Contents:
 6 Tapping Bits, form D M 3 4 5 6 8 10
 6 Twist Drill Bits, HSS-G 2.5 3.3 4.2 5.0 6.8 8.5 mm
 1 Bit Holder with clamping spring
 ○ D 6.3 = 1/4" ● C 6.3 mm

| HAZET No. | EAN-No. 4000896+ |
|-----------|------------------|
| 842 BG/13 | 125135 |

Single-Cut Tap Set



- **One working step: taper tap – plug tap – bottoming tap combined in one tool**
- For cordless screwdrivers/drills and power drills with forward and reverse
- High-quality HSS-G tapping bits
- 6 pieces in plastic case

Contents:
 6 tapping bits, form D M 3 4 5 6 8 10

| HAZET No. | EAN-No. 4000896+ |
|-----------|------------------|
| 842 G/6 | 125142 |

Combined Drill / Tapping Bit Set




- **Drilling the hole and tapping without having to change the tool** – 4 tools in one (drill bit, taper tap, plug tap and bottoming tap)
- For tapping through threads with a thread depth of twice the thread diameter. (Ensure the speed (rpm) is adapted to the corresponding working step.)
- For cordless screwdrivers/drills and power drills with forward and reverse
- Universal application on materials of medium hardness
- Set of 7 pieces in plastic box

Contents:
 6 Drill/Tapping Bits M 3 4 5 6 8 10
 1 Bit Holder with clamping spring
 ○ D 6.3 = 1/4" ● C 6.3 mm

| HAZET No. | EAN-No. 4000896+ |
|-----------|------------------|
| 842 B/7 | 125159 |

Stud Extractor




- For installing and removing stud bolts and set screws with right-handed or left-handed thread without damage
- □ drive 12.5 = 1/2" or s 21 mm outside hexagon
- Chrome-Vanadium
- Surface chrome-plated and polished

| HAZET No. | ∅ mm | l mm | ∅ mm | EAN-No. 4000896+ |
|-----------|------|------|------|------------------|
| 844- 6 | 23 | 65 | 6 | 035823 |
| 844- 7 | 23 | 65 | 7 | 035830 |
| 844- 8 | 23 | 65 | 8 | 035847 |
| 844-10 | 27 | 75 | 10 | 035809 |
| 844-12 | 27 | 75 | 12 | 035816 |



Stud Extractor Set



187 x 125 x 39 mm

- In plastic case
- With PUR foam insert

| HAZET No. | EAN-No. 4000896+ |
|--|------------------|
| 4 pieces Contents: 844-6 8 10 12 844/4 | 035854 |
| 5 pieces Contents: 844-6 7 8 10 12 844/5 | 035878 |

Stud Extractor



- For turning in and out stud bolts (set screws) with right-handed or left-handed thread
- Special steel
- Surface galvanized

| HAZET No. | ∅ mm | EAN-No. 4000896+ |
|-----------|-------|------------------|
| 845-1 | 6-13 | 141739 |
| 845-2 | 5-19 | 141661 |
| 845-3 | 8-19 | 148011 |
| 845-4 | 19-25 | 148028 |
| 845-5 | 5-26 | 148035 |

Hydraulic Nut Splitter



- For splitting tight nuts of the quality ranges 5, 6, 8 and 10
- Special steel

| HAZET No. | ∅ mm | EAN-No. 4000896+ |
|-----------|-------|------------------|
| 846-22 A | 7-22 | 140435 |
| 846-36 A | 22-36 | 140442 |

Thread Repair

Mechanical Nut Splitter

Ⓔ



For splitting tight nuts of the **quality ranges 5 and 6**

| HAZET No. | mm | EAN-No. 4000896+ |
|------------|-------|------------------|
| 847-0410 A | 7-16 | 139903 |
| 847-1027 A | 13-24 | 139910 |
| 847-1736 A | 21-36 | 139927 |



Spare chisel for 847-0410 A and 1027 A

847-10 A - 144150

Spare chisel for 847-1736 A

847-17 A - 144167

Flare Nut Insert Tool (12-Point)

✈



• Crowfoot Wrench

• For union nuts and tube connections

• Metric sizes

| HAZET No. | □ | EAN-No. 4000896+ |
|-----------|----------|------------------|
| 848 Z-10 | 6.3 1/4 | 079049 |
| 848 Z-12 | 6.3 1/4 | 079056 |
| 848 Z-13 | 6.3 1/4 | 079063 |
| 848 Z-14 | 6.3 1/4 | 079070 |
| 848 Z-16 | 10 3/8 | 079087 |
| 848 Z-17 | 10 3/8 | 079094 |
| 848 Z-18 | 10 3/8 | 079100 |
| 848 Z-19 | 10 3/8 | 079117 |
| 848 Z-21 | 10 3/8 | 079124 |
| 848 Z-22 | 10 3/8 | 079131 |
| 848 Z-24 | 10 3/8 | 079148 |
| 848 Z-27 | 10 3/8 | 079162 |
| 848 Z-30 | 12.5 1/2 | 079179 |
| 848 Z-32 | 12.5 1/2 | 079186 |
| 848 Z-36 | 12.5 1/2 | 079193 |
| 848 Z-41 | 12.5 1/2 | 079216 |
| 848 Z-46 | 12.5 1/2 | 079223 |

Tap and Die Set



279 x 121 x 47 mm

- For problem-free **rethreading** even in areas with restricted access
- To be used with reversible ratchet
- Heavy-duty thread cutter made of HSS steel
- In black plastic box
- With PUR foam insert

| HAZET No. | EAN-No. 4000896+ |
|-----------|------------------|
| 849 | 035984 |

SPARE PARTS

Dies for male threads

| | |
|-------------|--------|
| 849 AG-M 3 | 036035 |
| 849 AG-M 4 | 036042 |
| 849 AG-M 5 | 036059 |
| 849 AG-M 6 | 036066 |
| 849 AG-M 8 | 036073 |
| 849 AG-M 10 | 036011 |
| 849 AG-M 12 | 036028 |

Taps for female threads

| | |
|-------------|--------|
| 849 IG-M 3 | 036127 |
| 849 IG-M 4 | 036134 |
| 849 IG-M 5 | 036141 |
| 849 IG-M 6 | 036158 |
| 849 IG-M 8 | 036165 |
| 849 IG-M 10 | 036103 |
| 849 IG-M 12 | 036110 |

Chuck

● 6.3 = 1/4",
for taps 849 IG-M 3 up to M 6
(in conjunction with Adapter 2250-1)

849 IG-6.3 036080

Chuck

● 8 = 5/16",
for taps 849 IG-M 8 up to M 12
(in conjunction with Adapter 2250-3)

849 IG-8 036097

Die Stock

□ drive 6.3 = 1/4",
for dies 849 AG-M 3 up to M 6

849 AG-6.3 036004

Die Stock

□ drive 10 = 3/8",
for dies 849 AG-M 8 up to M 12

849 AG-10 035991

Hex Head Wrench

2100-025 2,5 58.5 20.5 011285

Adapter for manual operation

With inside square and inside hexagon insert

With clamping ball for bits

Chrome-Vanadium, Surface chrome-plated

2250-1 ○ 6.3 = 1/4" - □ 6.3 = 1/4" 015443

2250-3 ○ 8 = 5/16" - □ 10 = 3/8" 015474

HAZET Demonstration Van and Technical Consultants



... close to the
client for almost
50 years!

HAZET
Ingenious Tools