



Photo: HELUKABEL®

Tools



Cable accessories

Tools

Cable shears

Cable shears HELUTOOL D15	399
Cable shears KST 1	400
Cable shears KT3/KT4	401
Hydraulic battery-powered cutter B-TCO 51	402

Stripping

Stripping knife Jokari	403
Stripping knife Jokari	404
Stripping knife Jokari, round	405
Stripax-Plus	406
Wire stripper High Strip	407
Wire stripper Multistrip 10	408
DUO Stripper 200	409
DUO Crimp 300	410

Crimping

Crimping tool HELUTOOL PEW 8.84	411
Crimping pliers 803/0, 803/5, 804	412
Press pliers 802/0	413
Press pliers 802/1	414
Press pliers DEB 0560	415
Crimping pliers 805/0, 805/2	416
Crimping pliers 806/0, 806/4, 806/8	417
Press pliers 807/1, 807/2	418
Press pliers K2	419
Press pliers K5	420
Press pliers K05	421
Press pliers K06	422
Press pliers K22	423
Inserts for press pliers K22	424

Shield-Kon® tools (Products from Thomas & Betts)

Hand compression tool WT 740 G (ERG 740)	425
Tool inserts for WT 740 G (ERG 740)	426

Fastening

Socket wrench ST	427
-------------------------------	-----

Cable binder tools (Products from Thomas & Betts)

Assembly tool WT1, WT2	428
Assembly tool WT193, WT197	429
Assembly tool WT3D	430
Assembly tool CT for stainless steel binders	431

Handling

Drum unwinder HELUTOOL	432
Shaftless drum decoiler	433
Drum decoiler with shaft	434
Portable drum decoiler with shaft	435
Portable drum decoiler with shaft	436
Length measuring equipment	437



Cable accessories

HELUTOOL D15

cable shear



Cable shear HELUTOOL D15

- Forged
- Tempered blade with precise finish
- Browning
- Plastic coated handle
- Length 170mm
- Weight 210g

Part No.	Type	Units	net EUR/item at acceptance of		
			1	2 - 4	5 - 10
903620	HELUTOOL D15	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

KST 1

cable shear



Cable shears KST 1

Cable shears KST 1 with telescopic handle for cutting ranges of up to 26 mm.

Part No.	Type	Units	net EUR/item at acceptance of		
			1	2 - 4	5 - 10
99087	KST 1	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

KT3 / KT4

cable shear



Cable shears KT3 / KT4

KT3

- For cutting cables with diameters up to 32mm
- Length 255mm
- Weight 590g

KT4

- For cutting cables with diameters up to 52mm
- Length 310mm
- Weight 890g

Part No.	Type	Units	net EUR/item at acceptance of		
			1	2 - 4	5 - 10
904728	KT 3	1	o. r.	o. r.	o. r.
904729	KT 4	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

B-TCO 51

hydraulic shear



Battery operated hydraulic shear B-TC051

- Battery operated dual pistons hydraulic shear. Can be used for cables with diameters up to 50mm.
- Long service life
- Revolving head (up to 90°)
- Excess pressure valve as overload protection
- Pressure relief switch
- SOC indicator
- Hinged head for cutting ceaseless material
- Included in delivery: tool, 2 batteries, charger, carrying strap
- Weight hydraulic shear 5,4kg
- Weight case 2,1kg

Part No.	Type	Units	net EUR/item at acceptance of		
			1	2 - 4	5 - 10
904730	B-TC051	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Jokari

skinning knife



Jokari stripping knife

Stripping knife for small and large cable diameters

Part No.	Type	Diameter from - to mm	Units	net EUR/Item at acceptance of		
				1	2 - 4	5 - 10
98718	J 16	4,0 - 16,0	1	o. r.	o. r.	o. r.
98719	J 27	8,0 - 28,0	1	o. r.	o. r.	o. r.
98720	J 35	28,0 - 35,0	1	o. r.	o. r.	o. r.
98721	J 50	35,0 - 50,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Jokari

skinning knife



Jokari stripping knife

Practical hook knife for peeling all standard round cables.
 Working range: 8 – 28 mm

Part No.	Type	Units	net EUR/item at acceptance of		
			1	2 - 4	5 - 10
98303	J 1	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Jokari round

skinning knife



Jokari round stripping knife

Practical and handy knife for peeling all standard round cables.

J15 for peeling and stripping (0.2-4.0mm²).

J12 for peeling.

Part No.	Type	Diameter from - to mm	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
98716	J 15	8,0 - 13,0	1	o. r.	o. r.	o. r.
98717	J 12	8,0 - 15,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Stripax-Plus



Stripax Plus

Processing tool for core end sleeves in strip format.

Universal tool for cutting, stripping and crimping.
 (Crimping to DIN 46228).

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91923	Stripax-Plus	0,5 - 2,5	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

High Strip

Stripper



High Strip wire strippers

Automatic wire strippers for conductors with problematic insulation, e.g.: Silicone, rubber, TPE.

Stripping range from 0.5 to 4.0mm².

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
98448	High Strip	0,5 - 4,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Multistrip 10

Stripper



Stripper Multistrip 10

- Self adjusting
- For single and multi-core lines made of PVC, rubber etc.
- Applies to squares from 0,03 up to 10,0mm²
- Adjustable stripping length up to 18mm
- Robust metal clamps
- Ergonomic two-component handle
- Length 195mm

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
904731	Multistrip 10	0,03 - 10,00	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

DUO Stripper 200



Duo Stripper 200

The Duo Stripper 200, one tool with 2 functions:

Peeling and stripping.

Peels all standard round cables from 4 - 28 mm, with adjustable cutting depth and rotating knife for automatic conversion from round to longitudinal sections.

Stripping from 0.5 to 6.0 m2.

Part No.	Type	Units	net EUR/item at acceptance of		
			1	2 - 4	5 - 10
91924	DUO 200	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

DUO Crimp 300



DUO Crimp 300

The Duo Crimp 300, one tool with 3 functions:

Stripping, crimping, shearing.

- Stripping from 0.5 to 6.0mm².
- Crimping in 2 clamping ranges (0.75 to 1.5mm² and 2.5 to 6.0mm²)
- Shearing with integrated side cutter

Part No.	Type	Units	net EUR/item at acceptance of		
			1	2 - 4	5 - 10
97388	DUO-Crimp 300	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

410

HELUTOOL PEW 8.84

crimping tool



Crimping tool HELUTOOL PEW 8.84

- Browning
- Right angled crimping profile by synchronously moving crimping jaws
- 4 moulded crimping faces
- Ergonomic two-component handle
- Length 180mm
- Weight 380g

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
903624	HELUTOOL PEW 8,84	0,08 - 10,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

803/0, 803/5, 804

crimping tool



Type 803/0, 803/5, 804 crimping pliers

Type 803 crimping pliers for core end sleeves to DIN 46228 in cross-section 0.25 to 6.0mm².

Type 804 for core end sleeves to DIN 46228 and tubular lugs.

- Cross-section for core end sleeves 0.75 to 16.0mm².
- Cross-section for tubular lugs 0.75 to 2.5mm².

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91602	803/0	0,5 - 2,5	1	o. r.	o. r.	o. r.
91603	803/5	1,5 - 6,0	1	o. r.	o. r.	o. r.
91601	804	0,75 - 16,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

802/0

pliers



Type 802/0 jointing clamp

Jointing clamp for insulated cable lug, with positive lock.
 Clamping range 0.5 to 6.0mm².

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91612	802/0	0,5 - 6,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

802/1

pliers



Type 802/1 jointing clamp

Jointing clamp for insulated cable lug, with positive lock and mechanism for reducing the hand force by 50% to 250N. (Durable life, min. 50,000 clampings). Clamping range 0.5 to 6.0mm².

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91163	802/1	0,5 - 6,0	1	o. r.	o. r.	o. r.


o. r. = on request



Cable accessories

DEB 0560

pliers



Type DEB 0560 jointing clamp

Jointing clamps for insulated and non-insulated core end sleeves, for completely safe clamping with positive lock. Clamping range 0.5 to 6.0mm².

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
97343	DEB 0560	0,5 - 6,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

805/0, 805/2

crimping tool



Type 805/0, 805/2 crimping pliers

Crimping pliers for non-insulated tubular lugs (standard design) and nolderless terminals to DIN 46234, with positive lock.
 Cross-section for tubular lugs 0.75 to 16.0mm².
 Cross-section for nolderless terminals 0.5 to 16.0mm².

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91605	805/0	0,75 - 16,0	1	o. r.	o. r.	o. r.
91606	805/2	0,5 - 16,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

806/0, 806/4, 806/8

crimping tool



Type 806/0, 806/4 and 806/8 crimping pliers

Joining clamps for non-insulated tubular lugs (standard design) with rotating profile disk, arbour clamping.

Type 806/0 for 6 – 50mm².

Type 806/4 for 50 – 120mm².

Type 806/8 for 120 – 240mm².

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91607	806/0	6,0 - 50,0	1	o. r.	o. r.	o. r.
91616	806/4	50,0 - 120,0	1	o. r.	o. r.	o. r.
91618	806/8	120,0 - 240,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

807/1, 807/2

pliers



Type 807/1, 807/2 jointing clamps

Jointing clamps for non-insulated tubular lugs (standard design) with rotating profile disk, hexagonal clamping.

Clamping range, type 807/1 - 6 to 50mm².

Clamping range, type 807/2 - 10 to 120mm².

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91610	807/1	6,0 - 50,0	1	o. r.	o. r.	o. r.
91611	807/2	10,0 - 120,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

K2

pliers



Pliers K2

For terminal lugs and connection sleeves in standard design

- Crimping profile with notch, fixed with lock
- Length 325mm
- Weight 600g

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
904732	K2	0,75 - 16,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

K5

pliers



Pliers K5

For terminal lugs and connection sleeves in standard design

- Crimping profile with notch, fixed in revolving profile
- Length 600mm
- Weight 2,4kg

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
904733	K5	6,0 - 50,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

K05

pliers



Pliers K05

For terminal lugs and connection sleeves in standard design

- Hexagonal crimping profile, fixed in revolving profile
- Length 390mm
- Weight 1,1kg

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
904734	K05	6,0 - 50,0	1	o. r.	o. r.	o. r.


o. r. = on request



Cable accessories

K06

pliers



Pliers K06

For terminal lugs and connection sleeves in standard design

- Hexagonal crimping profile, fixed in revolving profile
- Length 650mm
- Weight 2,9kg

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
904735	K06	10,0 - 120,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

K22

pliers



Pliers K22

- Crown revolving by 360°
- Hinged
- Convertible inserts
- Telescopic handle
- Length 560mm to 860mm
- Weight 2,5kg

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
904736	K22	-	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Inserts for K22

pliers



Inserts for pliers K22

Convertible inserts for pliers K22.

Inserts type R22 for terminal lugs and connection sleeves in standard design (esp. terminal lugs of types K1, K2); pressing width 5mm.

Inserts type RU22 for pressing sleeves roundly (esp. KH-R, KH-3, KH-4); pressing width 19,5mm.

Inserts type F22 for terminal lugs and connection sleeves applied to fine stranded lines (esp. terminal lugs of type KF).

Inserts R22

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
904737	R2250	50,0	1	o. r.	o. r.	o. r.
904738	R2270	70,0	1	o. r.	o. r.	o. r.
904739	R2295	95,0	1	o. r.	o. r.	o. r.
904740	R22120	120,0	1	o. r.	o. r.	o. r.
904741	R22150	150,0	1	o. r.	o. r.	o. r.
904742	R22185	185,0	1	o. r.	o. r.	o. r.
904743	R22240	240,0	1	o. r.	o. r.	o. r.
904744	R22300	300,0	1	o. r.	o. r.	o. r.

Inserts RU22

Part No.	Type	Cross section SE mm ²	Cross section SM mm ²	Units	net EUR/item at acceptance of		
					1	2 - 4	5 - 10
904745	RU223525	35,0	25,0	1	o. r.	o. r.	o. r.
904746	RU225035	50,0	35,0	1	o. r.	o. r.	o. r.
904747	RU227050	70,0	50,0	1	o. r.	o. r.	o. r.
904748	RU229570	95,0	70,0	1	o. r.	o. r.	o. r.
904749	RU2212095	120,0	95,0	1	o. r.	o. r.	o. r.
904750	RU22150120	150,0	120,0	1	o. r.	o. r.	o. r.
904751	RU22185150	185,0	150,0	1	o. r.	o. r.	o. r.
904752	RU22240185	240,0	185,0	1	o. r.	o. r.	o. r.
904753	RU22300240	300,0	240,0	1	o. r.	o. r.	o. r.

Inserts F22

Part No.	Type	Cross section mm ²	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
904754	F2210	10,0	1	o. r.	o. r.	o. r.
904755	F2216	16,0	1	o. r.	o. r.	o. r.
904756	F2225	25,0	1	o. r.	o. r.	o. r.
904757	F2235	35,0	1	o. r.	o. r.	o. r.
904758	F2250	50,0	1	o. r.	o. r.	o. r.
904759	F2270	70,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Compression tool ERG 740

a product by Thomas & Betts



ERG 740 hand compression tool

Hand compression tool suitable for clamping Shield-Kon connectors.
 Processing range for single-piece Shield-Kon connectors from 1.27 to 7.62 mm.

Compression tool ERG 740

Part No.	Type T & B	Shield-Ø mm	net EUR/item at acceptance of		
			1	2 - 4	5 - 10
96757	ERG 740	7,62	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

tool inserts for ERG 740

a product by Thomas & Betts



Tool inserts for ERG 740

The tool inserts are simple and quick to change by hand.

tool inserts for ERG 740

Part No.	Type T & B	Shield-Ø mm	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
904774	D-101 A	1,27 - 1,79	RSK 101	o. r.	o. r.	o. r.
904775	D-101 B	1,80 - 2,28	RSK 101	o. r.	o. r.	o. r.
904776	D-201 C	2,29 - 2,55	RSK 101	o. r.	o. r.	o. r.
904777	D-201 D	2,56 - 3,00	RSK 201	o. r.	o. r.	o. r.
903718	D-201 E	3,01 - 3,34	RSK 201	o. r.	o. r.	o. r.
904778	D-201 F	3,35 - 3,65	RSK 201	o. r.	o. r.	o. r.
904779	D-301 G	3,66 - 4,13	RSK 301	o. r.	o. r.	o. r.
903735	D-301 H	4,14 - 4,71	RSK 301	o. r.	o. r.	o. r.
904692	D-301 J	4,72 - 5,12	RSK 301	o. r.	o. r.	o. r.
904780	D-401 K	5,13 - 5,86	RSK 401	o. r.	o. r.	o. r.
904693	D-401 L	5,87 - 6,36	RSK 401	o. r.	o. r.	o. r.
903731	D-401 M	6,37 - 7,00	RSK 401	o. r.	o. r.	o. r.
903685	D-401 N	7,01 - 7,62	RSK 401	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Box spanners ST



Socket wrench ST

Special socket wrench, slotted.
 For professional installation of glands in extremely restricted spaces.
 The guide slot also makes it suitable for glands with integral cables.

Material

Material: Steel
 Surface: tinned

Part No.	Spanner size mm	l mm	c mm	D mm	Units	net EUR/item at acceptance of		
						1	2 - 4	5 - 10
97356	14,0	60,0	8,5	19,5	1	o. r.	o. r.	o. r.
97535	15,0	60,0	8,5	19,5	1	o. r.	o. r.	o. r.
97536	17,0	60,0	10,0	23,5	1	o. r.	o. r.	o. r.
97148	19,0	60,0	10,0	25,3	1	o. r.	o. r.	o. r.
97537	20,0	60,0	12,0	27,0	1	o. r.	o. r.	o. r.
97149	22,0	60,0	12,0	29,5	1	o. r.	o. r.	o. r.
97538	24,0	60,0	14,0	31,9	1	o. r.	o. r.	o. r.
98726	26,0	60,0	16,0	34,5	1	o. r.	o. r.	o. r.
97417	27,0	60,0	16,0	35,5	1	o. r.	o. r.	o. r.
97539	30,0	60,0	20,0	40,8	1	o. r.	o. r.	o. r.
97150	33,0	60,0	20,0	43,8	1	o. r.	o. r.	o. r.
97540	36,0	60,0	24,0	47,8	1	o. r.	o. r.	o. r.
97541	40,0	100,0	27,0	52,5	1	o. r.	o. r.	o. r.
97542	41,0	100,0	27,0	53,5	1	o. r.	o. r.	o. r.
97151	42,0	100,0	27,0	54,7	1	o. r.	o. r.	o. r.
98727	46,0	100,0	34,0	56,0	1	o. r.	o. r.	o. r.
97543	50,0	100,0	34,0	64,5	1	o. r.	o. r.	o. r.
97152	53,0	100,0	34,0	69,0	1	o. r.	o. r.	o. r.
98728	55,0	100,0	35,0	75,5	1	o. r.	o. r.	o. r.
97544	57,0	100,0	35,0	76,5	1	o. r.	o. r.	o. r.
97545	60,0	100,0	40,0	78,0	1	o. r.	o. r.	o. r.
97546	64,0	100,0	40,0	84,0	1	o. r.	o. r.	o. r.
98729	68,0	100,0	40,0	85,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

mounting tool WT1, WT2

a product by Thomas & Betts



Assembly tool for cable binder WT 1 / WT 2

Tools WT 1 and WT 2, small practical clamping tools that fit into any pocket. The binder is clamped, the excess material is sheared without burr by a rotating movement.

Part No.	Type	Tie width mm	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91115	WT-1	2,4 - 4,8	1	o. r.	o. r.	o. r.
91116	WT-2	4,8 - 7,6	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

mounting tool WT193, WT197

a product by Thomas & Betts



Assembly tool for cable binder WT 193 / WT 197

Clamping gun WT 193 and WT 197, a suitable tool for rationalising small and medium-sized series.

The adjustable traction torque, practical shape, impact damper and low weight make work non-tiring.

The cable binders are evenly clamped, the overhanging material remnant is automatically sheared without burr.

Part No.	Type	Tie width mm	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91117	WT 193	2,4 - 4,8	1	o. r.	o. r.	o. r.
91118	WT 197	4,8 - 7,6	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

mounting tool WT3D

a product by Thomas & Betts



Assembly tool for cable binder WT 3D

Robust processing tool for tensioning and cutting large cable binders.

Part No.	Type	Tie width mm	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91193	WT 3D	7,6 - 12,7	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

430

mounting tool CT for stainless steel cable ties

a product by Thomas & Betts



Assembly tool for stainless steel binder

Clamping tool for processing stainless steel cable binders with single-handed operation and taper cutter.

Suitable for stainless steel binders with ball sealing head, conductor form, coated and uncoated cable binders.

Part No.	Type	Tie width mm	Units	net EUR/item at acceptance of		
				1	2 - 4	5 - 10
91617	CT	until 12,0	1	o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

431

cable reel HELUTOOL



Cable reel HELUTOOL

For simple reeling of cable drums.

- Dynamic brake for constant traction:
retarding effect corresponds to the weight bearing on.
- Small weight
- Small size
- Can be used with broken rim


Part No.	Type	Weight approx. kg	Load capacity kg	Diameter approx. mm	Reel width mm	Units	net EUR/item at acceptance of		
							1	2 - 4	5 - 10
903716	HELUTOOL 250 pocket	1,0	190	250	-		o. r.	o. r.	o. r.
93529	HELUTOOL 190	7,0	380	500	-		o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

shaftless cable reel



Shaftless drum reel TROMBOI 500 / 800 / 1400

Cable drum reel for different diameters and weights.

- Compact design
- Role-up chute
- Robust design by welded steel
- Ideal for single-serving drums
- Ball bearing axis

Part No.	Type	Weight approx. kg	Load capacity kg	Reel-Ø approx. mm	Reel width mm	Units	net EUR/item at acceptance of		
							1	2 - 4	5 - 10
904760	TROMBOI 500	8,0	140	150 - 700	520		o. r.	o. r.	o. r.
904761	TROMBOI 500 castor (1 set = 4 items)				-		o. r.	o. r.	o. r.
904762	TROMBOI 800	21,0	500	400 - 1000	580		o. r.	o. r.	o. r.
904763	TROMBOI 1400	25,1	1500	500 - 1800	-		o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

cable reel with axis



Cable reel with axis TROMBOI 7-10 / 9-14 / 2003

For drum handling at construction sites, when installing cables, at stock or shipping.

- Robust welded design.
- Collets can be fastened in height corresponding to the drum size.
- Place axis through drum.
- Reel drum into the collets and then lift the drum.

Note

Additional axis on request

Part No.	Type	Weight approx. kg	Load capacity kg	Reel-Ø approx. mm	Reel width mm	Units	net EUR/item at acceptance of		
							1	2 - 4	5 - 10
904764	TROMBOI 7-10	32,0	1000	700 - 1000	-		o. r.	o. r.	o. r.
904765	TROMBOI 9-14	51,0	1700	900 - 1400	-		o. r.	o. r.	o. r.
904766	TROMBOI 2003	132,0	4000	710 - 2000	-		o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

movable cable reel with axis



Movable cable reel with axis TROMCAR 1000 / 1250

Application: stock, construction site, installation department etc.

- Moving cable drums with robust lift-up tool.
- Lift-up clamp as handle.
- Extra sized wheels.

TROMCAR 1000 with 2 wheels and 2 footholds.

TROMCAR 1250 with 3 wheels.

Part No.	Type	Weight approx. kg	Load capacity kg	Reel-Ø approx. mm	Reel width mm	Units	net EUR/item at acceptance of		
							1	2 - 4	5 - 10
904767	TROMCAR 1000	50,0	1000	500 - 1000	710		o. r.	o. r.	o. r.
904768	TROMCAR 1250	65,0	700	500 - 1250	1000		o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

movable cable reel with axis



Movable cable reel with axis TROMTRAK 1250

For handling of cable drums.

- Two-fold embedded axis.
- Smooth operation by adjustable brake.
- Build-on lockable castors.


Part No.	Type	Weight approx. kg	Load capacity kg	Reel-Ø approx. mm	Reel width mm	Units	net EUR/item at acceptance of		
							1	2 - 4	5 - 10
904769	TROMTRAK 1250	58,0	1000	630 - 1250	890		o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Longimetry devices



Longimetry devices MESSBOI M10, MESSBOI M30

To avoid material loss.

- Compact design
- Easy to operate
- Calibration optional
- Counter 9999,99m, with rest button
- Repeat accuracy +/-2%

MESSBOI M10 stationary.

MESSBOI M30 stationary and portable.

Part No.	Type	Weight approx. kg	Cable-Ø approx. mm	Units	net EUR/item at acceptance of		
					1	2 - 4	5 - 10
97924	MESSBOI M10	0,5	1 - 15		o. r.	o. r.	o. r.
97775	MESSBOI M30/012	2,2	1 - 30		o. r.	o. r.	o. r.

o. r. = on request



Cable accessories

Product informations

HELUKABEL® informs its customers and business partners about innovations, promotions or simply about things worth knowing for everything concerning cables, wires, cable accessories, special cables as well as data, network and bus technology using product flyers and brochures.



Cable accessories