

# DOLS SYSTEM

## Products Handled Guide

2015 on ~

Note: The DOLS SYSTEM features ONLY apply for customers located in Japan.

Particularly shipping, delivery & online pricing.

Please allow sufficient time for shipment to North America.

Customized items must be prepaid at time of order.

# KANA

Products are available from: **MARYLAND METRICS**

P.O. Box 261 Owings Mills, MD 21117 USA

(410)358-3130 (800)638-1830 (410)358-3142 (800)872-9329

web: <http://mdmetric.com> email: [sales@mdmetric.com](mailto:sales@mdmetric.com)

RFQ form: <http://mdmetric.com/rfq.htm>

How to order: Please preface each KANA part number with 'R222-'

Example (using the part number): R222-NK50B31 D30 BB

Note: The DOLS SYSTEM features ONLY apply for customers located in Japan.

Please allow sufficient time for shipment to North America.


























Customized items must be prepaid at time of order.

## Description of Icons

Icons	Meaning	Example Display
	Material	Carbon Structural Steel
	China National Bureau of Standards	Stainless Steel  304
	Hardening	High-Frequency Hardened Teeth
	Surface Treatment	Black Oxide Finishing
	Precautions	Caution For a single object with a blank form, we will assume standard-issue shipment.
	Reference Page	* The D / L / H dimensions are the same as a  P70 standard Roller Chain.
	Order Method	Order Method <input type="text" value="Sprocket No. FBK40B18"/> <input type="text" value="Shaft hole diameter D20 and quantity"/>
	Delivery	Delivery <input type="text" value="Same-day shipping"/>
<input type="text" value="Same-day shipping"/> <input type="text" value="3-day shipping"/> <input type="text" value="5-day shipping"/> <input type="text" value="7-day shipping"/> <input type="text" value="10-day shipping"/>	Shipping Date	Same-day shipping provided. Shipped in 3 working days. Shipped in 5 working days. Shipped in 7 working days. Shipped in 10 working days.
	Newly Listed Product	Miter Gear
	Order-made Product	Recommended product (please contact individual sales offices)

**Note: The DOLS SYSTEM features ONLY apply for customers located in Japan.**  
 Please allow sufficient time for shipment to North America.  
 Customized items must be prepaid at time of order.

## Description of Icons

Icons	Meaning	Example Display
	Use Examples	 Use Examples 
	Guide	 Guide Since we also manufacture sizes other than those in the catalog upon request, please contact our company's sales office for details.
	Weight limit for single product packaging	 With Sagawa Express / Yamato Transport, products for which the weight of a single item exceeds 30kg cannot be shipped at any time.
	Length Limit for Packing Single Items	 With Sagawa Express / Yamato Transport, products for which the length of a single item exceeds 1m cannot be shipped at any time.
	List Price	 List price / Semi-F list price
	Postage	 Postage
	Billing	 Billing
	Video Guide	 You can see the product on video.
	Instruction Manual	 An instruction manual has been posted on our company's home page.
	Semi-F Series Supported	 Semi-F Series Supported
	RoHS-compliant product	 RoHS-compliant product
	Goods for Clearance	 Sales will be discontinued when stock runs out.