

**WIRE WHEEL BRUSHES-
FINEST INDUSTRIAL QUALITY
SERIES 545:**




Popular Applications:

Deburring • Edge Blending • Cleaning and rust removal • Roughing for adhesion • Finishing for appearance • Flash removal - rubber and plastic parts.

Stainless steel wire is highly resistant to corrosion and high temperatures and should be used where heat and contamination is a factor. It is used in brushing aluminum, stainless and other exotic metals.

**CRIMPED WIRE - NARROW FACE
DM TYPE**



Brush Characteristics:

- Narrow brushing face. • High flexibility-long trim
- Highest quality oil tempered crimped wire
- Fine to medium coarse brushing action
- Gang mount for wide brush face

The **DM line** is particularly well suited for jobs where the brushing area is narrow or the surface or edge is flat.

Dia.	Approx. Face Width	Trim Lgth	Wire Size	Arbor Hole	Carbon		Stainless	
					Order No.	Price	Order No.	Price
4	11/32	15/16	.006	1/2-3/8	4503063		9503123	
4	11/32	15/16	.0118	1/2-3/8	4503103		4503153	
4	11/32	15/16	.014	1/2-3/8	4503113		-	
6	7/16	1-7/16	.006	5/8-1/2	4503174		4503234	
6	7/16	1-7/16	.0118	5/8-1/2	4503204		4503254	
6	7/16	1-7/16	.014	5/8-1/2	4503214		9503264	
8	1/2	1-13/16	.006	5/8-1/2	4503274		4503334	
8	1/2	1-13/16	.0118	5/8-1/2	4503304		-	
8	1/2	1-13/16	.014	5/8-1/2	4503314		-	

**CRIMPED WIRE -
MEDIUM FACE -
2" ARBOR HOLE
DA TYPE**



Brush Characteristics:

- Absolute lowest end-of-service cost • Maximum desirable wire points at brush face • Highest quality oil tempered crimped wire • Low flexibility - fast cutting action - long life • Uniform brushing action

Dia.	Approx. Face Width	Trim Lgth	Wire Size	Carbon		Stainless	
				Order No.	Price	Order No.	Price
6	1-1/8	1-1/8	.006	4501104		4501174	
6	1-1/8	1-1/8	.0118	4501134		4501204	
6	1-1/8	1-1/8	.014	4501144		4501214	
8	1-1/8	1-1/2	.006	4501294		4501344	
8	1-1/8	1-1/2	.010	4501304		-	
8	1-1/8	1-1/2	.0118	4501314		4501364	
8	1-1/8	1-1/2	.014	4501324		4501374	
8	1-1/8	1-1/2	.020	4501334		-	

DA wheels fit directly on 2" diameter arbors without adapters. Adapters are required for mounting on smaller arbors. One pair is required for each wheel. These must be ordered separately.

ALN 2" ADAPTORS

Used in pairs with DA Type wheels.



Arbor Hole	Order No.	Price/Pair
1/2	4537722	
5/8	4537723	
3/4	4537725	
7/8	4537726	
1	4537728	
1-1/4	4537730	
1-1/2	4537732	

**CRIMPED WIRE -
MEDIUM FACE
DMX TYPE**



Brush Characteristics:

- High performance general purpose wheel • Heavily filled with highest quality oil tempered crimped wire • Fixed arbor design permits stacking for wide face brushing

Dia.	Approx. Face Width	Trim Lgth	Wire Size	Arbor Hole	Carbon		Stainless	
					Order No.	Price	Order No.	Price
4-1/4	3/4	5/8	.0118	5/8-1/2	4501564		-	
4-1/4	3/4	5/8	.014	5/8-1/2	4501574		-	
6	3/4	1-1/8	.006	5/8-1/2	4501594		-	
6	3/4	1-1/8	.0118	5/8-1/2	4501534		4502124	
6	3/4	1-1/8	.014	5/8-1/2	4501544		4502134	
8	3/4	1-1/2	.006	5/8-1/2	4501944		-	
8	3/4	1-1/2	.0118	5/8-1/2	4501964		-	
8	3/4	1-1/2	.014	5/8-1/2	4501974		-	
10	1	2-1/2	.014	3/4	4502026		-	

KNOT TYPE - MEDIUM FACE

WTS-K TYPE

Brush Characteristics:

- Twisted tuft straight wire construction for very strong high impact brushing action • High to medium flexibility. • Highest quality oil tempered carbon and stainless steel wire.

Popular Applications:

- Weld cleaning • Weld spatter removal (cable) • Scale removal • Cleaning • Deburring • Flash removal

Dia.	Approx. Face Width	Trim Lgth	Wire Size	Arbor Hole	Carbon		Stainless	
					Order No.	Price	Order No.	Price
4	1/2	7/8	.0118	1/2-3/8	4513573		4513613	
4	1/2	7/8	.014	1/2-3/8	4513583		4513623	
4	1/2	7/8	.020	1/2-3/8	4513603		4513643	
6	1/2	1-7/16	.0118	5/8-1/2	4513664		4513744	
6	1/2	1-7/16	.014	5/8-1/2	4513674		4513754	
6	1/2	1-7/16	.016	5/8-1/2	4513684		4513764	
8	5/8	1-3/4	.0118	5/8-1/2	4513874		-	
8	5/8	1-3/4	.014	5/8-1/2	4513884		4513944	
8	5/8	1-3/4	.016	5/8-1/2	4513894		4513954	

WIRE CUP BRUSHES

SERIES 546: Cup brushes have 5/8-11 arbor holes.



Popular Applications:

- Heavy duty cleaning of large surfaces
- Weld scale removal
- Deburring
- Edge blending
- Roughing

Designed for use on high-speed air and electric portable tools.

CRIMPED LIGHT DUTY

UC TYPE



Brush Characteristics:

- Rugged, fast cutting action - long life
- Highest quality oil tempered carbon and stainless steel wire
- Safety designed cups
- Smooth performance at high speeds

Dia.	Trim Lgth	Wire Size	Carbon		Stainless	
			Order No.	Price	Order No.	Price
4	7/8	.0118	4610195		-	
4	7/8	.014	4610205		4610235	
4	7/8	.020	4610215		-	
5	1-1/4	.014	4610275		-	
5	1-1/4	.020	4610285		-	
6	1-1/4	.014	4610325		4610345	
6	1-1/4	.020	4610335		-	

KNOTTED TYPE - DOUBLE ROW

UDX TYPE



Brush Characteristics:

Rugged, fast cutting action - long life • Highest quality oil tempered carbon and stainless steel wire • Safety designed cups • Smooth performance at high speeds.

Dia.	Trim Lgth	Wire Size	Carbon		Stainless	
			Order No.	Price	Order No.	Price
4	1	.014	4616625		-	
4	1	.020	4616635		4616655	
5	1-1/4	.014	4616395		-	
5	1-1/4	.020	4616405		-	
6	1-3/8	.014	4616445		-	
6	1-3/8	.020	-		4616505	

ABRASIVES



While we show only the most popular ANDERSON items we can supply their entire range of products; please inquire.

KNOTTED TYPE - SINGLE ROW

US TYPE



Brush Characteristics :

- Excellent for general heavy duty work
- Able to reach into corners and angles.
- Flexible
- Fast cutting
- Good surface coverage

Dia.	Trim Lgth	Wire Size	Carbon		Stainless	
			Order No.	Price	Order No.	Price
2-3/4	3/4	.0118	4617195		4617085	
4	1-1/4	.0118	4617245		4617305	
4	1-1/4	.014	4617255		4617315	
5	1-1/4	.014	4617345		-	
5	1-1/4	.020	4617355		-	
6	1-3/8	.014	4617435		4617485	
6	1-3/8	.020	4617445		4617495	
6	1-3/8	.025	4617455		-	

TUBE BRUSHES

SERIES 547

DOUBLE SPIRAL PTD TYPE



Brush Characteristics:

Designed for use in portable tools and drill presses / Highest quality crimped wire / heavy twisted stem wire

Popular Applications:

Internal deburring / Internal thread cleaning / Internal rust and dirt removal

Mount brush tightly in power tool with minimum overhang. Engage brush in hole to be brushed before starting rotation. Stop rotation before retracting the brush.

Dia.	Lgth of Brush	Wire Size	Approx. Stem Dia	Carbon		Stainless	
				Order No.	Price	Order No.	Price
1/2	2	.004	1/8	4724200		4724201	
1/2	2	.006	1/8	4724210		-	
5/8	2	.005	3/16	4724230		4724231	
5/8	2	.008	3/16	4724240		4724241	
5/8	2	.010	3/16	4724250		4724251	
3/4	2-1/2	.006	1/4	4724281		4724283	
3/4	2-1/2	.010	1/4	4724291		4724293	
7/8	2-1/2	.006	1/4	4724321		4724323	
7/8	2-1/2	.010	1/4	4724331		4724333	
1	2-1/2	.006	1/4	4724351		-	
1	2-1/2	.010	1/4	4724361		4724363	
1-1/4	2-1/2	.006	1/4	4724370		4724372	
1-1/4	2-1/2	.010	1/4	4724380		-	

END BRUSHES
SERIES 547:



ANDERSON
TECHNOLOGY

ALL END BRUSHES HAVE 1/4" SHANKS

Brush Characteristics:

- Wide range of sizes and shapes
- Highest quality oil tempered steel wire • Densely fitted • Long life

Popular Applications:

- Weld cleaning • Mold cleaning • Deburring
- Polishing tools, dies and molds • Removing rust and paint
- Spot facing



HOLLOW END, CUP STYLE - CRIMPED WIRE

NH TYPE

Dia.	Wire Size	Carbon		Stainless	
		Order No.	Price	Order No.	Price
1-3/4	.006	4706611		4706631	
1-3/4	.0118	4706621		-	
2-3/4	.0118	4706651		-	

SOLID END - CRIMPED WIRE

NS TYPE

General purpose, used for cleaning castings, blending, polishing dies and carbon deposit removal.



Dia.	Wire Size	Carbon		Stainless	
		Order No.	Price	Order No.	Price
1/2	.006	4706901		4706971	
1/2	.010	4706921		4706981	
1/2	.020	4706941		4707001	
3/4	.006	4707011		4707071	
3/4	.010	4707021		4707081	
3/4	.020	4707041		4707101	
1	.010	4707121		4707181	

HOLLOW END, SWAGED CUP - KNOT TYPE

NH TYPE

Excellent for heavy burr removal from external surfaces and removal of heavy scale and corrosion.



Dia.	Wire Size	Carbon		Stainless	
		Order No.	Price	Order No.	Price
3/4	.014	4710921		4710951	
3/4	.020	4710931		4710961	
1-1/8	.014	4712071		4712101	
1-1/8	.020	4712081		4712111	

CIRCULAR WIRE

SSM TYPE

Ideal for internal pipe cleaning, carbon deposit removal, flash removal, and light rust and scale removal.

Dia.	Wire Size	Order No.	Price
2-1/2	.014	4708905	
2-1/2	.020	4709531	
3	.006	4709541	
3	.010	4709551	



ACID BRUSHES
SERIES 548:



Horsehair in tin handle.



Width	Order No.	Price
3/8	5489024	
1/2	5489032	
5/8	5489040	

CHIP BRUSHES

SERIES 548:



White bristle, wood handle.

Width	Thickness	Order No.	Price
1/2	1/4	5480032	
1	5/16	5480064	
1-1/2	5/16	5480096	
2	5/16	5480200	
2-1/2	3/8	5480232	
3	3/8	5480300	
4	3/8	5480400	



ALL METAL LOOP HANDLE

Trim Length: 1-1/2"
Overall Length: 5-1/2"



Order No. **4833266**
Price :



SCRATCH BRUSHES

SERIES 548:



Brush Length: 6"
Overall Length: 13-1/4"
Trim Length: 1-1/8"



Handle Type	No. of Rows	Carbon		Stainless	
		Order No.	Price	Order No.	Price
Bent	3 x 19	4850078		4850076	
Shoe	4 x 16	4850079		4850077	

PLATER'S HAND BRUSHES



Fine wire scratch brushes for general cleaning in the plating and metal finishing industries. Ideal for use in aluminum welding with inert arc. Curved handle.



Brush Length: 1-3/8"
Overall Length: 7-7/8"
Trim Length: 1"
No. of Rows: 3 x 7



Carbon		Stainless	
Order No.	Price	Order No.	Price
4834021		4833795	