


MARYLAND METRICS P.O. Box 261 Owings Mills, MD 21117 USA

The one-stop source for all your METRIC METALS needs!

phones: (410)358-3130 (800)638-1830 faxes: (410)358-3142 (800)872-9329 web: <http://mdmetric.com> email: sales@mdmetric.com

Metric Cold Finished Rounds



CARBON STEEL BS970, DIN 175, DIN 671, EN 10278, ISO h6, h7, h8, h9, h10, h11, 1018, 1018 TG&P, 1045, 1045 TG&P, 1045 IH

1060 IH, 1117, 1141, 1144 S.P., TG&P, 12L14, 12L14 TG&P, 1215, ASTM A-311 CLASS B, ASTM A-108, ASTM A-30

ALLOY STEEL 4140 H.T., TG&P, 4140 Annealed, 4 1L40, 4340 H.T., TG&P, A 193-B7, ASTM A-29

TOOL STEEL 0-1, A-2

COPPER (E-Cu57) 110 99.9%Cu (Multiply weights below by 1.1440)

STAINLESS STEEL 303, 304, 304L, 316L, 416, 440C, 17-4PH - in G&P and TG&P, Nickel Alloys ASTM A-276, A-582, A-564

ALUMINUM 6060 T-6 (Extruded), EN573-3, EN755-3 (Multiply weights below by 0.3462)

BRASS CDA 360 (CuZn39Pb3), EN12165 (Mult. wgts. below by 1.084)

DIAMETER mm	DIAMETER Inches	EST. LBS. PER FT.	EST. kg/m	DIAMETER mm	DIAMETER Inches	EST. LBS. PER FT.	EST. kg/m	DIAMETER mm	DIAMETER Inches	EST. LBS. PER FT.	EST. kg/m
1	0.0394	0.004	0.006	26	1.0236	2.80	4.165	64	2.5197	16.96	25.235
1.5	0.0591	0.009	0.013	27	1.063	3.02	4.491	65	2.5591	17.49	26.031
2	0.0787	0.017	0.025	28	1.1024	3.25	4.831	70	2.7559	20.29	30.189
2.5	0.0984	0.026	0.039	29	1.1417	3.48	5.182	75	2.9528	23.29	34.656
3	0.1181	0.037	0.055	30	1.1811	3.73	5.545	80	3.1496	26.50	39.430
3.5	0.1378	0.051	0.076	31	1.2205	3.98	5.921	85	3.3465	29.91	44.514
4	0.1575	0.066	0.098	32	1.2598	4.24	6.308	90	3.5433	33.53	49.904
4.5	0.1772	0.084	0.125	33	1.2992	4.51	6.709	95	3.7402	37.36	55.604
5	0.1969	0.104	0.155	34	1.3386	4.79	7.122	100	3.937	41.40	61.610
5.5	0.2165	0.125	0.186	35	1.378	5.07	7.548	105	4.1339	45.64	67.926
6	0.2362	0.149	0.222	36	1.4173	5.37	7.984	110	4.3307	50.09	74.548
6.5	0.2559	0.175	0.260	37	1.4567	5.67	8.435	115	4.5276	54.75	81.480
7	0.2756	0.203	0.302	38	1.4961	5.98	8.896	120	4.7244	59.62	88.718
7.5	0.2953	0.233	0.347	39	1.5354	6.30	9.371	125	4.9213	64.69	96.266
8	0.315	0.265	0.394	40	1.5748	6.62	9.858	130	5.1181	69.97	104.121
8.5	0.3346	0.299	0.445	41	1.6142	6.96	10.356	135	5.315	75.45	112.285
9	0.3543	0.335	0.499	42	1.6535	7.30	10.868	140	5.5118	81.14	120.756
9.5	0.374	0.373	0.555	43	1.6929	7.66	11.392	145	5.7087	87.04	129.536
10	0.3937	0.414	0.616	44	1.7323	8.02	11.928	150	5.9055	93.15	138.622
11	0.4331	0.501	0.746	45	1.7717	8.38	12.477	155	6.1024	99.46	148.019
12	0.4724	0.596	0.887	46	1.811	8.76	13.036	160	6.2992	105.98	157.722
12.5	0.4921	0.647	0.963	47	1.8504	9.15	13.609	165	6.4961	112.71	167.734
13	0.5118	0.700	1.042	48	1.8898	9.54	14.196	170	6.6929	119.65	178.053
14	0.5512	0.811	1.207	49	1.9291	9.94	14.792	175	6.8898	126.79	188.681
15	0.5906	0.932	1.387	50	1.9685	10.35	15.402	180	7.0866	134.14	199.616
16	0.6299	1.06	1.577	51	2.0079	10.77	16.025	185	7.2835	141.69	210.861
17	0.6693	1.20	1.780	52	2.0472	11.20	16.660	190	7.4803	149.45	222.412
18	0.7087	1.34	1.996	53	2.0866	11.63	17.306	195	7.6772	157.42	234.273
19	0.748	1.50	2.225	54	2.126	12.07	17.965	200	7.874	165.60	246.440
20	0.7874	1.66	2.464	55	2.1654	12.52	18.638	220	8.6614	200.30	298.084
21	0.8268	1.83	2.717	56	2.2047	12.98	19.321	250	9.8425	258.75	385.062
22	0.8661	2.00	2.982	58	2.2835	13.93	20.726				
23	0.9055	2.19	3.259	60	2.3622	14.90	22.180				
24	0.9449	2.39	3.549	62	2.4409	15.91	23.683				
25	0.9843	2.59	3.851	63	2.4803	16.43	24.454				

(Note: Not all sizes are available for all of the listed materials)

ver cc02f